

TALET

2025

EQUIPMENT



PO Box 2351 - Strathmore, Alberta
T1P 1K3 Canada (403) 934-5878
www.talet.ca - sales@talet.ca

Talet Auger Bucket

Model

Weight

List Price

Auger Bucket includes two chutes (1 - 24" and 1 - 36"), hoses, and flat face couplers.

Discharge Concrete Auger Bucket - 1/2 Cubic Yard

- | | | |
|--|------|----------|
| • Talet Auger Bucket - Discharge Auger | 3110 | 400 lbs. |
|--|------|----------|

Mixing Concrete Auger Bucket - 1/2 Cubic Yard

- | | | |
|-------------------------------------|------|----------|
| • Talet Auger Bucket - Mixing Auger | 3120 | 420 lbs. |
|-------------------------------------|------|----------|

Steel Auger Bucket - 1/2 Cubic Yard (Dry Material)

- | | | |
|--|------|----------|
| • Talet Auger Bucket - Steel Auger | 3130 | 400 lbs. |
| • Talet Auger Bucket - Steel Auger (Welded Cutting Edge) | 3131 | 440 lbs. |

Options

The hopper extensions bolt on to the standard 1/2 cubic yard auger bucket. The extensions show the total volume once the extension is installed. For example the 3/4 cubic yard hopper extension adds a 1/4 yard to the volume of the standard bucket.

- | | | |
|--|-------|----------|
| • Hopper Extension - 3/4 Yard - Bolt On | 87134 | 130 lbs. |
| Welded Cutting Edge - Not Compatible with Hopper Extension | 87137 | 40 lbs. |

Replacement Parts

- | | | |
|-------------|-------|---------|
| • 24" Chute | 87139 | 12 lbs. |
| • 36" Chute | 87140 | 18 lbs. |

- | | | |
|----------------------------|-------|---------|
| • Mixing Auger Assembly | AM002 | 35 lbs. |
| • Discharge Auger Assembly | AD001 | 35 lbs. |
| • Steel Auger | AS001 | 36 lbs. |

Auger Assemblies Include Steel Auger and Rubber Flighting Installed Except for AS001 Which is All Steel

- | | | |
|--|-------|---------|
| • Mixing Auger Rubber Replacement Kit | AFM02 | 13 lbs. |
| • Discharge Auger Rubber Replacement Kit | AFD01 | 12 lbs. |
| • Masonry Auger Rubber Replacement Kit | AFMM4 | 15 lbs. |
| • Hub & Seal Kit (2000 Series) | HS001 | 3 lbs. |
| • Hub & Seal Kit (3000 Series) | HS002 | 3 lbs. |

Talet Postmaster

Model

Weight

Note: A minimum of 50 lbs of additional weight must be added to the hammer before initial use. Failure to do so can result in Postmaster failure.

8000 Series Postmaster (Includes Hoses and Couplers) - Recommended Operating Capacity > 1,500 lbs.

- | | | |
|--|------|------------|
| • Postmaster - 36" Stroke / 6" Collar | 8188 | 1,000 lbs. |
| • Postmaster - 36" Stroke / 6" Collar / Tilt - Requires Wiring Harness | 8187 | 1,050 lbs. |

9000 Series Postmaster (Includes Hoses and Couplers) - Recommended Operating Capacity > 1,700 lbs.

- | | | |
|--|------|------------|
| • Postmaster - 56" Stroke / 6" Collar | 9188 | 1,200 lbs. |
| • Postmaster - 56" Stroke / 6" Collar / Tilt - Requires Wiring Harness | 9187 | 1,250 lbs. |

Wiring Harness - Used with Tilt Only

- | | | |
|---|-------|--------|
| • Electrical Control - Battery | 90765 | 5 lbs. |
| • Electrical Control - 14 Pin Case/New Holland/Volvo/Ditch Witch/Kubota | 25887 | 1 lbs. |
| • Electrical Control - 14 Pin Cat (D Series) | 25888 | 1 lbs. |
| • Electrical Control - 14 Pin John Deere | 25904 | 1 lbs. |
| • Electrical Control - 8 Pin ASV/CAT/Komatsu | 25886 | 1 lbs. |

Options

- | | | |
|----------------|-------|---------|
| • Post Grapple | 90289 | 60 lbs. |
|----------------|-------|---------|

Replacement Collars

- | | | |
|------------------------|-------|---------|
| • 6" Post Head (Round) | 88813 | 15 lbs. |
| • 8" Post Head (Round) | 88814 | 15 lbs. |

Replacement Head Assemblies

Includes collar, upper head plate, and all necessary hardware. Comes fully assembled.

- | | | |
|---|-------|---------|
| • 6" Post Head Collar (Round) and Upper Head Plate Assembly | 88804 | 50 lbs. |
| • 8" Post Head Collar (Round) and Upper Head Plate Assembly | 88805 | 50 lbs. |

Common Replacement Parts

- | | | |
|---|-------|---------|
| • Guide Bock Kit (Includes blocks, rubber donuts, washers, and bolts) | 90294 | 5 lbs. |
| • Upper Head Plate | 88810 | 30 lbs. |

Talet Mat Grapple		
• Talet Mat Grapple 66" Frame - (60" - 6,600 lb. Tines Included)	MG60	970 lbs.
Talet Mount Plate		
• 1/2" Universal Mount Plate (Primed)	MP2000	134 lbs.
• 1/4" Universal Mount Plate (Primed)	MP1000	65 lbs.
Talet Push Boom (Deck Push)		
• Talet Push Boom - Skid-Steer Mount (7', 9', 11')	PB1000	367 lbs.
Talet Gravel Spoon		
Skid-Steer Mount		
• 5' Talet Gravel Spoon - 20" Diameter Pipe (0.40 Yrd ³)	GS5	375 lbs.
• 7' Talet Gravel Spoon - 20" Diameter Pipe (0.53 Yrd ³)	GS7	450 lbs.
Talet Fork Extensions		
Please confirm the size of the fork at the thickest point (heel) before ordering. All tubing is .25" thick. The last two numbers of the model indicate the outside diameter of the tubing (eg. FX072-26 uses 2" x 6" tubing). Load rating of extensions are dependent on rating and length of forks.		
2" x 6" x 72" Fork Extensions (Fits Forks Up To 1.25" x 5")	FX072-26	154 lbs.
3" x 6" x 72" Fork Extensions (Fits Forks Up To 2.25" x 5")	FX072-36	170 lbs.
3" x 8" x 72" Fork Extensions (Fits Forks Up To 2.25" x 7")	FX072-38	214 lbs.
4" x 8" x 72" Fork Extensions (Fits Forks Up To 3.25" x 7")	FX072-48	235 lbs.
2" x 6" x 96" Fork Extensions (Fits Forks Up To 1.25" x 5")	FX096-26	204 lbs.
3" x 6" x 96" Fork Extensions (Fits Forks Up To 2.25" x 5")	FX096-36	260 lbs.
3" x 8" x 96" Fork Extensions (Fits Forks Up To 2.25" x 7")	FX096-38	284 lbs.
4" x 8" x 96" Fork Extensions (Fits Forks Up To 3.25" x 7")	FX096-48	315 lbs.
Talet Trailer Hitch		
• Trailer Hitch - 2" Receiver - Includes 3 Ball Hitch (1 7/8", 2", 2 5/16")	TH1000	150 lbs.
• Trailer Hitch - 2" Receiver - Includes Pintle Hitch	TH1001	155 lbs.
• Mini Trailer Hitch - 2" Receiver - Includes 3 Ball Hitch (1 7/8", 2", 2 5/16")	TH500	50 lbs.
Options		
• 3 Ball Hitch (1 7/8", 2", 2 5/16")	90333	-
• Pintle Hitch	90454	-
NEW Talet Sand Kicker		
• New Talet Sand Kicker - Sand Spreader - 0.50 Yrd ³ . Capacity - Includes Galvanized Grate	SK105	515 lbs.
Replacement Parts		
• Spinner Blade Kit (Includes 6 Blades and Hardware)	90077	5 lbs.
• Replacement Agitator Assembly - Includes Guide Wheel	90068	15 lbs.
• Replacement Spinner Assembly - Includes Plate, Blades, and Hardware	90372	20 lbs.
*No Sidewalk Guard Like Previous SK10 Model		
Talet Ice Scraper		
• Talet Ice Scraper - 24" Disc	IS10	350 lbs.
Talet Loader Boom		
6' Loader Boom	6000H	230 lbs.
8' Loader Boom (Extended)	6000HX	250 lbs.
• Adjustable Loader Boom - 6', 8', 10'	6000HS	330 lbs.
Talet Loader Booms are not engineered or rated.		

Wear Components for Auger Bits

Model

Pengo

Weight

3.5" Male Fishtail Points - 1.25" Square Shank

• SB-35SQ 3.5" Male Fishtail Point	22190	136809	3 lbs.
• SB-35SQC 3.5" Male Carbide Fishtail Point	22191	-	3 lbs.
• SB-35SQHF 3.5" Male Hard Faced Fishtail Point	22192	136816	3 lbs.

3.5" Female Fishtail Points

• SB-35 - 3.5" Female Fishtail Point	22171	133402	2 lbs.
--------------------------------------	-------	--------	--------

4.5" Female Fishtail Points

• SB-45 - 4.5" Fishtail Point (For 4" Auger Only)	22003	133407	3 lbs.
---	-------	--------	--------

Standard Auger Teeth (T-35, T-36)

• Standard Gage Tooth (Outside)	22169	140027	1 lbs.
• Standard Wisdom Tooth (Inside)	22168	133835	1 lbs.
• Standard Chisel Tooth	22181	140029	1 lbs.

• Hard Faced Wisdom Tooth	22170	140008	1 lbs.
• Hard Faced Gage Tooth	140010	140010	1 lbs.
• Hard Faced Chisel Tooth	22183	140014	1 lbs.

• Carbide Wisdom Tooth	22186	140016	1 lbs.
• Carbide Gage Tooth	91052	-	1 lbs.
• Carbide Chisel Tooth	22182	140012	1 lbs.

• Rubber Lock For Auger Teeth - Cast Head (HDC) Augers	22154	-	-
• 5/8" x 1.75" Carriage Bolt & 5/8" Lock Nut	90456	-	1 lbs.

Bullet Tooth Rock & Frost Augers

• SRL08 Rock Auger Tooth - Standard (0.76" Shank)	850032	850032	1 lbs.
• SR-76SW Rock Auger Tooth - Heavy Duty (.76" Shank)	850035	850035	1 lbs.
• P10 Rock Auger Tooth Holder (.76" Shank)	990043	990043	1 lbs.
• RR-1.75Q Rock Auger Pilot Bit - 1.75" Male Square Shank (McMillen)	137208	137208	14 lbs.
• CDR Rock Auger Pilot Bit - 1.75" Male Square Shank (Premier)	91235	-	14 lbs.

Pengo Excavator Rock/Frost Auger Teeth / Fishtail Point

• C31HD-8.5 Pilot Bit - Rock and Frost	135913	135913	30.0 lbs.
• SR-100 Rock Auger Tooth (.99" Shank)	850023	850023	1.1 lbs.

4' Standard Duty Augers

Model

Weight

Fabricated auger head. Teeth bolt on using 5/8" x 1.75" carriage bolt. For replacement teeth see the standard auger teeth above.

2.56" Round

• 4" x 4' (fishtail point only) Fab Head Auger - 2.56" Round	20006	-	47 lbs.
--	-------	---	---------

2" Hex

• 4" x 4' (fishtail point only) Fab Head Auger - 2" Hex	20003	-	47 lbs.
• 6" x 4' (2 teeth) Fab Head Auger - 2" Hex	20021	-	58 lbs.
• 8" x 4' (2 teeth) Fab Head Auger - 2" Hex	20056	-	91 lbs.
• 9" x 4' (3 teeth) Fab Head Auger - 2" Hex	20096	-	104 lbs.
• 10" x 4' (3 teeth) Fab Head Auger - 2" Hex	20145	-	108 lbs.
• 12" x 4' (4 teeth) Fab Head Auger - 2" Hex	20183	-	124 lbs.
• 15" x 4' (5 teeth) Fab Head Auger - 2" Hex	20237	-	133 lbs.
• 16" x 4' (5 teeth) Fab Head Auger - 2" Hex	20269	-	148 lbs.
• 18" x 4' (6 teeth) Fab Head Auger - 2" Hex	20306	-	169 lbs.
• 20" x 4' (6 teeth) Fab Head Auger - 2" Hex	20350	-	194 lbs.
• 24" x 4' (8 teeth) Fab Head Auger - 2" Hex	20386	-	205 lbs.
• 30" x 4' (9 teeth) Fab Head Auger - 2" Hex	20429	-	325 lbs.
• 36" x 4' (11 teeth) Fab Head Auger - 2" Hex	20474	-	383 lbs.

4' Heavy Duty Augers

Model

Weight

Cast auger head. Teeth pound into cast head and are held into place using a rubber strip (22154). For replacement teeth see the standard auger teeth above.

2" Hex

• 6" x 4' (2 teeth) Cast Head Auger - 2" Hex	20036	-	57 lbs.
• 8" x 4' (4 teeth) Cast Head Auger - 2" Hex	20071	-	89 lbs.
• 9" x 4' (4 teeth) Cast Head Auger - 2" Hex	20113	-	108 lbs.
• 10" x 4' (4 teeth) Cast Head Auger - 2" Hex	20160	-	113 lbs.
• 12" x 4' (4 teeth) Cast Head Auger - 2" Hex	20201	-	126 lbs.
• 15" x 4' (6 teeth) Cast Head Auger - 2" Hex	20254	-	141 lbs.
• 16" x 4' (6 teeth) Cast Head Auger - 2" Hex	20283	-	152 lbs.
• 18" x 4' (6 teeth) Cast Head Auger - 2" Hex	20321	-	170 lbs.
• 20" x 4' (6 teeth) Cast Head Auger - 2" Hex	20363	-	195 lbs.
• 24" x 4' (8 teeth) Cast Head Auger - 2" Hex	20401	-	209 lbs.
• 30" x 4' (10 teeth) Cast Head Auger - 2" Hex	20441	-	283 lbs.
• 36" x 4' (12 teeth) Cast Head Auger - 2" Hex	20486	-	376 lbs.
• 42" x 4' (16 teeth) Cast Head Auger - 2" Hex	20512	-	460 lbs.
• 48" x 4' (20 teeth) Cast Head Auger - 2" Hex	20523	-	550 lbs.

4' Tree Augers

Model

Weight

Fabricated auger head. Teeth bolt on using 5/8" x 1.75" carriage bolt. For replacement teeth see the standard auger teeth above.

2" Hex

• 18" x 4' (7 teeth) Tree Auger - 2" Hex	20334	-	144 lbs.
• 24" x 4' (10 teeth) Tree Auger - 2" Hex	20414	-	198 lbs.
• 30" x 4' (11 teeth) Tree Auger - 2" Hex	20454	-	264 lbs.
• 36" x 4' (13 teeth) Tree Auger - 2" Hex	20499	-	349 lbs.
• 42" x 4' (15 teeth) Tree Auger - 2" Hex	20515	-	389 lbs.
• 48" x 4' (17 teeth) Tree Auger - 2" Hex	20525	-	449 lbs.

4' Bullet Tooth Rock & Frost Augers

Model Pengo Weight

Cast auger head. Head and flighting are much heavier than the bits above. Bullet style teeth pound into holders. For replacement teeth see the rock and frost auger teeth section above.

2" Hex

• 4" x 4' Rock Auger (4 Teeth) - 2" Hex	91234		75 lbs.
• 6" x 4' Rock Auger (6 Teeth) - 2" Hex	157430		85 lbs.
• 9" x 4' Rock Auger (10 Teeth) - 2" Hex	157431		112 lbs.
• 12" x 4' Rock Auger (12 Teeth) - 2" Hex	157433		138 lbs.
• 16" x 4' Rock Auger (16 Teeth) - 2" Hex	157434		159 lbs.
• 18" x 4' Rock Auger (18 Teeth) - 2" Hex	157435		201 lbs.
• 20" x 4' Rock Auger (20 Teeth) - 2" Hex	157436		240 lbs.
• 24" x 4' Rock Auger (24 Teeth) - 2" Hex	157437		291 lbs.
• 30" x 4' Rock Auger (30 Teeth) - 2" Hex	157438		340 lbs.
• 36" x 4' Rock Auger (36 Teeth) - 2" Hex	157439		395 lbs.

Specialty Auger Bits

Model Weight

Mini Auger Bits (2.56" Round)

• 6" x 3' (2 Teeth) HDF Style Auger	20020	-	40 lbs.
• 9" x 3' (3 Teeth) HDF Style Auger	20095	-	76 lbs.
• 12" x 3' (4 Teeth) HDF Style Auger	20182	-	93 lbs.

2" Hex

• 12" x 12' (4 Teeth) Single Flighted Cast Auger - 2" Hex	110404	-	450 lbs.
*While Supplies Last			
• 12" Stump Planer Auger - 2" Hex (Min. 3,000 Ft. Lbs. Auger Drive Torque)	SPA12H200	-	48 lbs.

Talet Fixed Length Extensions

Model Pengo Weight

2" Hex Extensions

12" Fixed Length Extension - 2" Hex	22839	-	20 lbs.
18" Fixed Length Extension - 2" Hex	22845	-	26 lbs.
• 24" Fixed Length Extension - 2" Hex	22851	-	34 lbs.
• 48" Fixed Length Extension - 2" Hex	22858	-	57 lbs.
• 72" Fixed Length Extension - 2" Hex	22865	-	83 lbs.

2.56" Round

12" Fixed Length Extension - 2.56" Round	22843	134203	21 lbs.
18" Fixed Length Extension - 2.56" Round	22849	-	30 lbs.
24" Fixed Length Extension - 2.56" Round	22856	134204	40 lbs.
48" Fixed Length Extension - 2.56" Round	22863	134206	74 lbs.
72" Fixed Length Extension - 2.56" Round	22872	134208	109 lbs.

2.5" Hex

48" Fixed Length Extension - 2.5" Hex	90322	-	85 lbs.
72" Fixed Length Extension - 2.5" Hex	22868	-	127 lbs.

Talet Variable Length Extensions

Model Pengo Weight

2" Hex

Variable length auger extensions store inside the center tube of the augers that are 10" diameter or larger.

12" Variable Length Extension - 2" Hex	23105	557142	20 lbs.
24" Variable Length Extension - 2" Hex	23117	557143	32 lbs.
• 48" Variable Length Extension - 2" Hex	23126	557145	57 lbs.
• 72" Variable Length Extension - 2" Hex	23135	557147	80 lbs.

2.56" Round

Variable length auger extensions store inside the center tube of the augers that are 10" diameter or larger.

48" Variable Length Extension - 2.56" Round	23133	-	74 lbs.
72" Variable Length Extension - 2.56" Round	23143	-	109 lbs.

2.5" Hex

48" Variable Length Extension - 2.5" Hex	90323	-	-
72" Variable Length Extension - 2.5" Hex	23137	-	127 lbs.

Talet Adapters (Drive Unit to Auger Collar)

Model Pengo Weight

All adapters are from the drive unit to the auger bit. E.g. 22237 would have a 2" round collar to 2" hex shaft.

• 2.00" Round Female to 2.00" Hex Male Adapter	22237	132804	11 lbs.
• 2.56" Round Female to 2.00" Hex Male Adapter	21990	557153	17 lbs.
2.56" Round Female to 2.00" Round Male Adapter	21967	132068	12 lbs.
• 2.00" Hex Female to 2.00" Round Male Adapter	21969	557156	15 lbs.
• 2.00" Hex Female to 2.56" Round Male Adapter	21987	134211	24 lbs.
• 2.00" Hex Female to 2.50" Hex Male Adapter	21989	-	22 lbs.
• 2.50" Hex Female to 2.00" Hex Male Adapter (No Warranty)	21988	132419	28 lbs.
• 2.50" Hex Female to 2.00" Hex Male HD Adapter (Recommended for 5,000+ Ft. Lbs. Torque)	91184	-	42 lbs.

Auger Collars

Model Pengo Weight

• 2.00" ID Round Auger Collar	22232	154080	5 lbs.
• 2.56" ID Round Auger Collar	22236	154115	10 lbs.
• 2.00" ID Hex Auger Collar	22209	154121	11 lbs.
• 2.50" ID Hex Auger Collar	22211	154141	18 lbs.
• 2.62" ID Hex Auger Collar	22212	-	18 lbs.
• 3.00" ID Hex Auger Collar	154205	154205	21 lbs.

Talet Auger Boom

Model Weight

All auger booms include a standard skid-steer quick attach. The descriptions below indicate the brand of auger drive and not the prime mover. Booms support up to 5,000 ft. lbs. of torque. Use the Talet Anchor Boom for higher torque drives.

• 6' Auger Boom - McMillen / John Deere / Premier Mount (Requires Cradle and Swivel)	6000C	330 lbs.
• 8' Auger Boom - McMillen / John Deere / Premier Mount (Requires Cradle and Swivel)	6000CX	361 lbs.
6' Auger Boom - AugerTorque / Digga - 30mm Pin	6000A	340 lbs.
6' Anchor Boom - AugerTorque / Digga - 45mm Pin	6000A-2	368 lbs.

Options

• Cradle for 6000C/CX	21670	27 lbs.
• Universal Swivel Kit - McMillen/John Deere Drives	21221	14 lbs.
• Swivel (Knuckle) Premier Drives - Requires Pin	91084	
• Knuckle Pin - Premier Drives	91085	

Standard Flow Hose Kits

Hose Kit for 6000C Auger Boom (.50" Hoses & .50" Flat Face Couplers)	90028	30 lbs.
Hose Kit for 6000CX Auger Boom (.50" Hoses & .50" Flat Face Couplers)	90203	30 lbs.

Premier Heavy Duty Auger Drives (Standard Flow)

Model Weight

5 Year Warranty

Auger Drive Assemblies - Includes drive, skid steer mount, swivel, cradle, hoses, and couplers.

• H015PD Auger Drive Assembly 2" Hex / 10-25 GPM (Max. 30" Auger Diameter)	91048	351 lbs.
• H019PD Auger Drive Assembly 2" Hex / 15-30 GPM (Max. 36" Auger Diameter)	91047	354 lbs.
• H024PD Auger Drive Assembly 2" Hex / 20-35 GPM (Max. 36" Auger Diameter)	91049	360 lbs.

Auger Drive Only - No Mount or Hoses

• H010PD Auger Drive 2" Hex / 6-15 GPM (Max. 24" Auger Diameter)	H010PD	163 lbs.
• H015PD Auger Drive 2" Hex / 10-25 GPM (Max. 30" Auger Diameter)	H015PD	166 lbs.
• H019PD Auger Drive 2" Hex / 15-30 GPM (Max. 36" Auger Diameter)	H019PD	169 lbs.
• H024PD Auger Drive 2" Hex / 20-35 GPM (Max. 36" Auger Diameter)	H024PD	175 lbs.

Standard Flow Hose Kits

(2) 108" Long 1/2" Hoses - Requires Couplers (Page 68.)	61050	15 lbs.
---	-------	---------

Universal Mounts - Excavators, Mini-Excavators, and Backhoes

Weld-On Universal Plate - Includes Swivel and Cradle (Blank Mount)	91057	-
--	-------	---

Quick Coupler Mounts - Mini-Excavators

• John Deere 17 Wedge - Includes Cradle and Swivel	BH150	145 lbs.
• John Deere 27/35 Wedge - Includes Cradle and Swivel	BH064	155 lbs.
• John Deere 50/60 Wedge - Includes Cradle and Swivel	BH091	170 lbs.
TAG/C&P Wain Roy Style #027 - Includes Cradle and Swivel	BH078	195 lbs.
TAG/C&P Wain Roy Style #030 - Includes Cradle and Swivel	BH097	225 lbs.
Bobcat Quick Attach Mount - Includes Cradle and Swivel	BH099	135 lbs.
Caterpillar 305E CCR Pin Grabber - Includes Cradle and Swivel	BH120	180 lbs.

*Many other mounts available, please call with the machines make, model, and coupler style.

Skid-Steer Mounting Bracket

Auger Drive Mount - Universal Skid-Steer (Includes Cradle)	SM001	180 lbs.
Swivel (Knuckle) - Requires Pin	91084	
Knuckle Pin	91085	

Premier Heavy Duty Auger Drives (High Flow)

Model Weight

5 Year Warranty, No Case Drain

Auger Drive Assemblies - Includes drive, skid steer mount, swivel, cradle, and hoses. Requires couplers Page.

- H045PD Auger Drive Assembly 2" Hex / 25-45 GPM (Max. 48" Auger Diameter) 91051 455 lbs.

Auger Drive Only - No Mount or Hoses

- H040PD Auger Drive 2" Hex / 20-36 GPM (Max. 36" Auger Diameter) H040PD 250 lbs.
- H045PD Auger Drive 2" Hex / 25-45 GPM (Max. 48" Auger Diameter) H045PD 250 lbs.
- H055PD Auger Drive 2" Hex / 30-60 GPM (Max. 48" Auger Diameter) H055PD 255 lbs.

High Flow Hoses

- (2) 108" Long 3/4" Hoses - Requires Couplers (Page. 68) 61051 25 lbs.

Universal Mounts - Excavators, Mini-Excavators, and Backhoes

- Weld-On Universal Plate - Includes Swivel and Cradle (Blank Mount) 91057 -

Quick Coupler Mounts - Mini-Excavators

- John Deere 17 Wedge - Includes Cradle and Swivel BH150 145 lbs.
- John Deere 27/35 Wedge - Includes Cradle and Swivel BH064 155 lbs.
- John Deere 50/60 Wedge - Includes Cradle and Swivel BH091 170 lbs.
- TAG/C&P Wain Roy Style #027 - Includes Cradle and Swivel BH078 195 lbs.
- TAG/C&P Wain Roy Style #030 - Includes Cradle and Swivel BH097 225 lbs.
- Bobcat Quick Attach Mount - Includes Cradle and Swivel BH099 135 lbs.
- Caterpillar 305E CCR Pin Grabber - Includes Cradle and Swivel BH120 180 lbs.

*Many other mounts available, please call with the machines make, model, and coupler style.

Skid-Steer Mounting Bracket

- Auger Drive Mount - Universal Skid-Steer (Includes Cradle) SM001 180 lbs.
- Swivel (Knuckle) – Requires Pin 91084
- Knuckle Pin 91085

Virnig Skid Steer Auger Drive

Model Weight

Auger Drive Assemblies - Includes drive, skid-steer mount, hoses, and couplers.

- Virnig Auger Drive Assembly 2" Hex / 15-25 GPM (Max. 36" Auger Diameter) AD36H 280 lbs.

Virnig High Torque Skid Steer Auger Drive

Model Weight

Auger Drive Assemblies - Includes drive, skid-steer mount, hoses, and couplers.

- Virnig High Torque Auger Drive Assembly 2" Hex / 15-27 GPM (Max. 36" Auger Diameter) ADHT36 305 lbs.

Premier Duo-Tach Auger Drives

Model Weight

Premier's patent pending Duo-Tach mounting system allows attachments to be used on both full size and mini skid steers.

Standard Duty - 3 Year Warranty

Auger Drive Assemblies - Includes drive, Duo-Tach mount, swivel, hoses, and couplers.

MD14PD Duo-Tach Auger Drive Assembly 2" Hex / 10-20 GPM (Max. 30" Auger Diameter) 91156 345 lbs.

MD18PD Duo-Tach Auger Drive Assembly 2" Hex / 15-30 GPM (Max. 36" Auger Diameter) 91157 350 lbs.

Heavy Duty - 5 Year Warranty

Auger Drive Assemblies - Includes drive, Duo-Tach mount, swivel, hoses, and couplers.

- H015PD Duo-Tach Auger Drive Assembly 2" Hex / 10-25 GPM (Max. 30" Auger Diameter) 91158 351 lbs.

H019PD Duo-Tach Auger Drive Assembly 2" Hex / 15-30 GPM (Max. 36" Auger Diameter) 91159 354 lbs.

Duo-Tach Auger Drive Mounting Bracket

Auger Drive Mount - Duo-Tach 91160 190 lbs.

Swivel (Knuckle) - Requires Pin 91084

Knuckle Pin 91085

Premier Mini Auger Drives

Model Weight

3 Year Warranty. Mini Universal Mount.

Auger Drive Assemblies - Includes drive, mini universal mount, hoses, and couplers.

- MS14PD Auger Drive Assembly 2.56" Round / 10-20 GPM (Max. 30" Auger Diameter) 91050 157 lbs.

*While Supplies Last

3 Year Warranty. Mini Bobcat Mount.

Auger Drive Assemblies - Includes drive, mini Bobcat mount, hoses, and couplers.

- MS14PD Auger Drive Assembly 2" Hex / 10-20 GPM (Max. 30" Auger Diameter) 91182 182 lbs.

*While Supplies Last

McMillen Mini Auger Drives

Model Weight

Mini Universal Mount.

X1500 Auger Drive, High Torque, 8.0 CU, RU256

- X1500 Auger Drive - 2.56" Round - Mini Universal 24453 #N/A

*While Supplies Last

X1500 Auger Drive, High Torque, 8.0 CU, H200

- X1500 Auger Drive - 2" Hex - Mini Universal 24861 #N/A

*While Supplies Last

Virnig V20 Mini Auger Drive

Model Weight

Mini Universal Mount.

Auger Drive Assemblies - Includes drive, mini universal mount, hoses, and couplers.

- Virnig Mini Auger Drive Assembly 2" Hex / 10-18 GPM (Max. 30" Auger Diameter) 91296 225 lbs.

- Virnig Mini Auger Drive Assembly 2" Hex / 10-18 GPM (Max. 30" Auger Diameter) 91297 250 lbs.

*Mini ASV Mounts Available

McMillen "75" Series Planetary Auger Drives (High Flow)

Model Weight

Auger Drive Only

- X5075 Auger Drive 2" Hex / Hydraulic Flow 28-40 GPM (Requires Case Drain) 24901 375 lbs.

*While Supplies Last

Dinamic Oil SA Series Anchor Drives (Single Speed)

Model

Weight

Drive Only

SA5-B Anchor Drive (Single Speed) 2" Hex	SA5-B	212 lbs.
SA6-B Anchor Drive (Single Speed) 2" Hex	SA6-B	212 lbs.
• SA7-B Anchor Drive (Single Speed) 2" Hex	SA7-B	228 lbs.
• SA8-B Anchor Drive (Single Speed) 2.5" Hex	SA8-B	234 lbs.
• SA12-B Anchor Drive (Single Speed) 2.5" Hex	SA12-B	455 lbs.
• SA16-B Anchor Drive (Single Speed) 2.5" Hex	SA16-B	550 lbs.
SA20-B Anchor Drive (Single Speed) 3" Hex	SA20-B	590 lbs.
SA30-B Anchor Drive (Single Speed) 4" Square	SA30-B	830 lbs.

Optional Torque Monitoring

Model

Weight

• Energi Pressure Management System	NAPM00100	-
-------------------------------------	-----------	---

*Easily adapts to any single-speed make and model of Anchor Drive.

Dinamic Oil Mini Anchor Drives

Model

Weight

Drive Assembly w/ Mini Universal Mount (Hoses not Included)

SA5 Mini Anchor Drive Assembly (Single Speed) 2" Hex	SA5-C ML	-
SA6 Mini Anchor Drive Assembly (Single Speed) 2" Hex	SA6-C ML	-

Anchor Booms - Skid Steer

Model

Weight

Booms to allow use of longer screw piles.

Skid-Steer Fixed - Up to 16,000 ft lbs

• Talet 72" Anchor Boom - Includes Link Arm (45mm Pin)	6000P	398 lbs.
Optional Recommended Transport Stand - 2.75" ID Pipe – (2" Hex)	90047	135 lbs.
Optional Recommended Transport Stand - 4" ID Pipe - (2.5" Hex)	90659	135 lbs.

Skid-Steer Hose Kits - For 6000P Boom - SA5-16 Anchor Drives

.75" Hoses and 1/2" Flat Face Couplers	91039	45 lbs.
.75" Hoses and 5/8" Flat Face Couplers	91061	46 lbs.
.75" Hoses and 3/4" Flat Face Couplers	91131	46 lbs.

Blank Excavator Mount & Link Arms

Model

Weight

Drive Mounts

• Weld-On Universal Plate & Swivel - Pengo 45mm (Quick Attach Lugging Provided By Dealer)	90311	102 lbs.
---	-------	----------

Blank Excavator Jib - 48"

• 48" Fixed Position Requires Bolt on Mount for use on Excavator.		
Dinamic Oil Fixed Anchor Boom - Requires 90218 Link Arm	91042	-

Link Arms & Pins

• 45mm Link Arm (Swivel) Talet (Includes 1 Pin)	90218	30 lbs.
• 45mm Pin Assembly	660558	-

Talet Screw Pile Adapters			Model	Weight
Once piece adapters for coupling anchor drives to screw piles. Descriptions shown are drive output shaft to screw pile OD.				
2" Hex to 2 7/8" Round Adapter			90473	30 lbs.
2" Hex to 3 1/2" Round Adapter			90474	30 lbs.
2" Hex to 4 1/2" Round Adapter			90819	37 lbs.
• 2.5" Hex to 2 7/8" Round Adapter			90461	35 lbs.
• 2.5" Hex to 3 1/2" Round Adapter			90462	37 lbs.
• 2.5" Hex to 4 1/2" Round Adapter			90653	-
3" Hex to 2 7/8" Round Adapter			90516	35 lbs.
3" Hex to 3 1/2" Round Adapter			90515	35 lbs.
3" Hex to 4 1/2" Round Adapter			90687	
3" Hex to 5 1/2" Round Adapter			90742	

Virnig Pallet Fork Frame (Class II)	Model	Weight
-------------------------------------	-------	--------

Pallet Fork Frames - Frame Only

• 45" Wide Pallet Fork Frame - Full Guard - ITA Class II (6,200 lb. Capacity)	PFHG	171 lbs.
• 45" Wide Pallet Fork Frame - Walk Through - ITA Class II (6,200 lb. Capacity)	PFWT	181 lbs.
• 55" Wide Pallet Fork Frame - Hi-Vis Guard - ITA Class II (6,200 lb. Capacity)	WPF	241 lbs.

Bradco Pallet Fork Frame (Class II)	Model	Weight
-------------------------------------	-------	--------

Pallet Fork Frames - Frame Only

• 45" Wide Pallet Fork Frame - Full Guard - ITA Class II (6,200 lb. Capacity)	30945-0022	219 lbs.
• 60" Wide Pallet Fork Frame - Full Guard - ITA Class II (6,200 lb. Capacity)	119401	265 lbs.

*While Supplies Last

Class II Fork Tines	Model	Weight
---------------------	-------	--------

Pallet Fork Tines (Pair)

• Standard Duty Tines 48" (4,000 lb.)	67604	194 lbs.
• Heavy Duty Tines 48" (6,000 lb.)	85994	236 lbs.
• Heavy Duty Tines 60" (6,000 lb.)	12678	280 lbs.
• Heavy Duty Tines 72" (6,000 lb.)	12509	338 lbs.

Replacement Tine Lock Assemblies

• Round Knob Lock Assemblies - Cascade	102506	
• Lever Lock Assemblies - Cascade/MSI	67860	

Virnig V30 Pallet Forks (Compact Tractor w/Skid Steer Mount)	Model	Weight
--	-------	--------

• 45" Wide Virnig V30 Pallet Forks - c/w 42" Tines (2,200 lbs. Capacity)	PF4222-CT	265 lbs.
--	-----------	----------

Virnig Hydraulic Pallet Forks (Class II)	Model	Weight
--	-------	--------

Hydraulically adjust tine spacing from 8" to 38", Sold as an assembly - forks and frame. 45" Wide Frame.

• 48" Virnig Hydraulic Pallet Forks (5,500 lb. Capacity)	PFHA48T	705 lbs.
• 60" Virnig Hydraulic Pallet Forks (5,500 lb. Capacity)	PFHA60T	755 lbs.

Premier Heavy Duty Pallet Forks (Class III)	Model	Weight
---	-------	--------

Skid Steer Mount

• 48" Wide Premier Heavy Duty Pallet Forks - c/w 48" Tines (8,000 lbs. Capacity)	PF48HDC3	520 lbs.
• 60" Wide Premier Heavy Duty Pallet Forks - c/w 48" Tines (8,000 lbs. Capacity)	PF48HDC3W	545 lbs.
• 48" Wide Premier Heavy Duty Pallet Forks - c/w 60" Tines (8,000 lbs. Capacity)	PF60HDC3	550 lbs.
• 60" Wide Premier Heavy Duty Pallet Forks - c/w 60" Tines (8,000 lbs. Capacity)	PF60HDC3W	570 lbs.

Class III Fork Tines	Model	Weight
----------------------	-------	--------

Pallet Fork Tines (Pair)

• 2" x 5" x 48" Class III Tines (10,000 lb.)	FFC10044	336 lbs.
• 2" x 5" x 60" Class III Tines (10,000 lb.)	FFC10045	400 lbs.
• 2" x 5" x 72" Class III Tines (10,000 lb.)	90364	468 lbs.

Talet Flip Over Forks (Hook On)	Model	Weight
---------------------------------	-------	--------

Hooks weld to top of bucket. Attach and remove forks by rolling bucket forward. All kits include 2 tines, 4 hooks, and shaft.

• Flip Over Forks - 1.5" x 4" x 48" x 72" Wide (Pair) 5,500 lbs. Capacity	12519	390 lbs.
• Flip Over Forks - 2" x 4" x 60" x 72" Wide (Pair) 8,400 lbs. Capacity	90759	-

Virnig V50 Low Profile Dirt Buckets

Model

Weight

V50 Low Profile Dirt Bucket w/Bolt on Edge - Recommended operating capacity <2,400 lbs.

• 60" Virnig V50 Low Profile Dirt Bucket - Includes Bolt on Edge (11.9 ft ³)	DHV60BOE	558 lbs.
• 66" Virnig V50 Low Profile Dirt Bucket - Includes Bolt on Edge (13.1 ft ³)	DHV66BOE	596 lbs.
• 72" Virnig V50 Low Profile Dirt Bucket - Includes Bolt on Edge (14.4 ft ³)	DHV72BOE	634 lbs.
• 78" Virnig V50 Low Profile Dirt Bucket - Includes Bolt on Edge (15.7 ft ³)	DHV78BOE	690 lbs.
• 84" Virnig V50 Low Profile Dirt Bucket - Includes Bolt on Edge (17.0 ft ³)	DHV84BOE	728 lbs.

V50 Low Profile Dirt Bucket w/ Teeth - Recommended operating capacity <2,400 lbs.

• 60" Virnig V50 Low Profile Dirt Bucket With 6 Teeth (11.9 ft ³)	DHV60WT	510 lbs.
• 66" Virnig V50 Low Profile Dirt Bucket With 7 Teeth (13.1 ft ³)	DHV66WT	546 lbs.
• 72" Virnig V50 Low Profile Dirt Bucket With 8 Teeth (13.1 ft ³)	DHV72WT	582 lbs.
• 78" Virnig V50 Low Profile Dirt Bucket With 9 Teeth (15.7 ft ³)	DHV78WT	638 lbs.
• 84" Virnig V50 Low Profile Dirt Bucket With 10 Teeth (17.0 ft ³)	DHV84WT	674 lbs.

Options

• Reversible Bolt on Side Cutters (Holes must be drilled in older buckets)	SCH	-
--	-----	---

Replacement Reversible Cutting Edges - Includes Hardware

• 60" Reversible Bolt On Edge (10 Holes, 6" Spacing)	BEV60	83 lbs.
• 66" Reversible Bolt On Edge (11 Holes, 6" Spacing)	BEV66	91 lbs.
• 72" Reversible Bolt On Edge (12 Holes, 6" Spacing)	BEV72	99 lbs.
• 78" Reversible Bolt On Edge (13 Holes, 6" Spacing)	BEV78	105 lbs.
• 84" Reversible Bolt On Edge (14 Holes, 6" Spacing)	BEV84	113 lbs.

Replacement Teeth - 23 Series

• Replacement Tooth	88893	4 lbs.
• Weld On Shank	88895	5 lbs.
• Pin	88894	1 lbs.

Virnig V60 Low Profile Dirt Buckets

Model

Weight

V60 Low Profile Dirt Bucket - Recommended operating capacity >2,400 lbs.

72" Virnig V60 Low Profile Dirt Bucket - Includes Bolt on Edge (14.2 ft³)	HDHV72BOE	819 lbs.
• 78" Virnig V60 Low Profile Dirt Bucket - Includes Bolt on Edge (15.4 ft³)	HDHV78BOE	865 lbs.
• 84" Virnig V60 Low Profile Dirt Bucket - Includes Bolt on Edge (16.6 ft³)	HDHV84BOE	913 lbs.
• 90" Virnig V60 Low Profile Dirt Bucket - Includes Bolt on Edge (17.8 ft³)	HDHV90BOE	961 lbs.

V60 Low Profile Dirt Bucket w/ Teeth - Recommended operating capacity >2,400 lbs.

• 72" Virnig V60 Low Profile Dirt Bucket With 8 Teeth (14.2 ft³)	HDHV72WT	767 lbs.
• 78" Virnig V60 Low Profile Dirt Bucket With 9 Teeth (15.4 ft³)	HDHV78WT	813 lbs.
• 84" Virnig V60 Low Profile Dirt Bucket With 10 Teeth (16.6 ft³)	HDHV84WT	859 lbs.
90" Virnig V60 Low Profile Dirt Bucket With 10 Teeth (17.8 ft³)	HDHV90WT	899 lbs.

Options

• Reversible Bolt on Side Cutters (Holes must be drilled in older buckets)	SCH	-
--	-----	---

Replacement Reversible Cutting Edges - Includes Hardware

• 72" Reversible Bolt On Edge (12 Holes, 6" Spacing)	BEV72	99 lbs.
• 78" Reversible Bolt On Edge (13 Holes, 6" Spacing)	BEV78	105 lbs.
• 84" Reversible Bolt On Edge (14 Holes, 6" Spacing)	BEV84	113 lbs.
• 90" Reversible Bolt On Edge (13 Holes, 6" Spacing)	BEV90	121 lbs.

Replacement Teeth - 23 Series

• Replacement Tooth	88893	4 lbs.
• Weld On Shank 1"	12400VA	8 lbs.
• Pin	88894	1 lbs.

Virnig V60 High Capacity Dirt Buckets

Model

Weight

V60 High Capacity Dirt Bucket - Recommended operating capacity >2,400 lbs.

72" Virnig V60 High Capacity Dirt Bucket - Includes Bolt on Edge (19.5 ft³)	HCDB72BOE	904 lbs.
78" Virnig V60 High Capacity Dirt Bucket - Includes Bolt on Edge (21.1 ft³)	HCDB78BOE	955 lbs.
• 84" Virnig V60 High Capacity Dirt Bucket - Includes Bolt on Edge (22.7 ft³)	HCDB84BOE	1,003 lbs.
90" Virnig V60 High Capacity Dirt Bucket - Includes Bolt on Edge (24.3 ft³)	HCDB90BOE	1,056 lbs.

V60 High Capacity Dirt Bucket w/ Teeth - Recommended operating capacity >2,400 lbs.

72" Virnig V60 High Capacity Dirt Bucket With 8 Teeth (19.5 ft³)	HCDB72WT	852 lbs.
78" Virnig V60 High Capacity Dirt Bucket With 9 Teeth (21.1 ft³)	HCDB78WT	903 lbs.
84" Virnig V60 High Capacity Dirt Bucket With 10 Teeth (22.7 ft³)	HCDB84WT	949 lbs.
90" Virnig V60 High Capacity Dirt Bucket With 10 Teeth (24.3 ft³)	HCDB90WT	994 lbs.

Options

• Reversible Bolt on Side Cutters (Holes must be drilled in older buckets)	SCH	-
--	-----	---

Replacement Reversible Cutting Edges - Includes Hardware

• 72" Reversible Bolt On Edge (12 Holes, 6" Spacing)	BEV72	99 lbs.
• 78" Reversible Bolt On Edge (13 Holes, 6" Spacing)	BEV78	105 lbs.
• 84" Reversible Bolt On Edge (14 Holes, 6" Spacing)	BEV84	113 lbs.
• 90" Reversible Bolt On Edge (13 Holes, 6" Spacing)	BEV90	121 lbs.

Replacement Teeth - 23 Series

• Replacement Tooth	88893	4 lbs.
• Weld On Shank 1"	12400VA	8 lbs.
• Pin	88894	1 lbs.

Virnig Skeleton Rock Bucket

Model

Weight

V30 Compact Tractor Skeleton Rock Bucket - Recommended operating capacity <1,500 lbs.

48" Virnig V30 Compact Tractor Skeleton Rock Bucket	SRV48-CT	210 lbs.
54" Virnig V30 Compact Tractor Skeleton Rock Bucket	SRV54-CT	230 lbs.
60" Virnig V30 Compact Tractor Skeleton Rock Bucket	SRV60-CT	250 lbs.
66" Virnig V30 Compact Tractor Skeleton Rock Bucket	SRV66-CT	270 lbs.
72" Virnig V30 Compact Tractor Skeleton Rock Bucket	SRV72-CT	290 lbs.

V40 Skeleton Rock Bucket - Recommended operating capacity <2,200 lbs.

66" Virnig V40 Skeleton Rock Bucket	BSRV66	520 lbs.
72" Virnig V40 Skeleton Rock Bucket	BSRV72	560 lbs.
84" Virnig V40 Skeleton Rock Bucket	BSRV84	640 lbs.

V50 Skeleton Rock Bucket - Recommended operating capacity <2,400 lbs.

60" Virnig V50 Skeleton Rock Bucket	SRV60	540 lbs.
66" Virnig V50 Skeleton Rock Bucket	SRV66	585 lbs.
• 72" Virnig V50 Skeleton Rock Bucket	SRV72	630 lbs.
• 78" Virnig V50 Skeleton Rock Bucket	SRV78	675 lbs.
• 84" Virnig V50 Skeleton Rock Bucket	SRV84	720 lbs.

V60 Skeleton Rock Bucket - Recommended operating capacity >2,400 lbs.

72" Virnig V60 Skeleton Rock Bucket	HSRV72	675 lbs.
78" Virnig V60 Skeleton Rock Bucket	HSRV78	710 lbs.
84" Virnig V60 Skeleton Rock Bucket	HSRV84	765 lbs.

Virnig Stump Bucket

Model

Weight

• 16" Virnig Stump Bucket	STMP	375 lbs.
---------------------------	------	----------

Virnig High Dump Bucket

Model

Weight

Includes Bolt on Edge.

60" Virnig High Dump Bucket	DMP60	1,015 lbs.
72" Virnig High Dump Bucket	DMP72	1,109 lbs.
84" Virnig High Dump Bucket	DMP84	1,214 lbs.
96" Virnig High Dump Bucket	DMP96	1,306 lbs.

Grapple Forks

Virnig Pipe and Pole Grapple		Model	Weight
• Virnig Pipe and Pole Grapple - 2 Cylinder (48" 6,000 lb. Tines Incl.)		91005	950 lbs.
• Virnig Pipe and Pole Grapple - 2 Cylinder (60" 6,000 lb. Tines Incl.)		91004	994 lbs.
• Virnig Pipe and Pole Grapple - 4 Cylinder (48" 6,000 lb. Tines Incl.)		91006	1,110 lbs.
• Virnig Pipe and Pole Grapple - 4 Cylinder (60" 6,000 lb. Tines Incl.)		91003	1,154 lbs.

Talet Mat Grapple		Model	Weight
• Talet Mat Grapple 66" Frame - (60" - 6,600 lb. Tines Included)		MG60	970 lbs.

Virnig Tine Fork Grapple		Model	Weight
Includes Cylinder Guards			

V50 Tine Fork Grapple - 2" Tines			
Virnig Heavy Tine Fork Grapple 60"		TBG260	1,050 lbs.
Virnig Heavy Tine Fork Grapple 66"		TBG266	1,120 lbs.
• Virnig Heavy Tine Fork Grapple 72"		TBG272	1,190 lbs.
• Virnig Heavy Tine Fork Grapple 78"		TBG278	1,260 lbs.

V60 Tine Fork Grapple - 2.25" Tines			
Virnig Industrial Tine Fork Grapple 72"		ITG72	1,335 lbs.
Virnig Industrial Tine Fork Grapple 78"		ITG78	1,410 lbs.
• Virnig Industrial Tine Fork Grapple 84"		ITG84	1,480 lbs.
Virnig Industrial Tine Fork Grapple 90"		ITG90	1,505 lbs.

Virnig Skeleton (Brush) Grapple

Model

Weight

V30 Compact Tractor Skeleton Grapple - Recommended operating capacity <1,500 lbs.

48" Virnig V30 Compact Tractor Skeleton Grapple	SGV48-CT	290 lbs.
54" Virnig V30 Compact Tractor Skeleton Grapple	SGV54-CT	305 lbs.
60" Virnig V30 Compact Tractor Skeleton Grapple	SGV60-CT	320 lbs.
66" Virnig V30 Compact Tractor Skeleton Grapple	SGV66-CT	335 lbs.
72" Virnig V30 Compact Tractor Skeleton Grapple	SGV72-CT	350 lbs.

V40 Skeleton Grapple - Recommended operating capacity <2,400 lbs.

66" Virnig V40 Skeleton Grapple	BSGV66	780 lbs.
72" Virnig V40 Skeleton Grapple	BSGV72	815 lbs.
84" Virnig V40 Skeleton Grapple	BSGV84	850 lbs.

V50 Skeleton Brush Grapple - Recommended operating capacity >1,500 lbs.

60" Virnig V50 Skeleton Brush Grapple	SGV60	825 lbs.
66" Virnig V50 Skeleton Brush Grapple	SGV66	860 lbs.
• 72" Virnig V50 Skeleton Brush Grapple	SGV72	895 lbs.
• 78" Virnig V50 Skeleton Brush Grapple	SGV78	930 lbs.
• 84" Virnig V50 Skeleton Brush Grapple	SGV84	965 lbs.
90" Virnig V50 Skeleton Brush Grapple	SGV90	1,000 lbs.

Virnig Skeleton Tooth Grapple

Model

Weight

V50 Skeleton Tooth Grapple - 1/2" Tines, 5.5" Tine Spacing

72" Virnig Skeleton Tooth Grapple - 8 Teeth	TSGV72	1,005 lbs.
78" Virnig Skeleton Tooth Grapple - 9 Teeth	TSGV78	1,055 lbs.
84" Virnig Skeleton Tooth Grapple - 9 Teeth	TSGV84	1,095 lbs.
90" Virnig Skeleton Tooth Grapple - 10 Teeth	TSGV90	1,145 lbs.

Virnig Large Capacity Skeleton Tine Grapple

Model

Weight

V60 Large Capacity Skeleton Grapple - 1/2" Tines, Various Tine Spacing

72" Virnig Large Capacity Skeleton Tine Grapple	LCG72	1,550 lbs.
84" Virnig Large Capacity Skeleton Tine Grapple	LCG84	1,650 lbs.

Virnig Skeleton Tine Grapple

Model

Weight

V50 Skeleton Tine Grapple - 1/2" Tines, Various Tine Spacing

66" Virnig Industrial Skeleton Tine Grapple	STG66	920 lbs.
72" Virnig Industrial Skeleton Tine Grapple	STG72	960 lbs.
78" Virnig Industrial Skeleton Tine Grapple	STG78	1,000 lbs.
84" Virnig Industrial Skeleton Tine Grapple	STG84	1,020 lbs.
90" Virnig Industrial Skeleton Tine Grapple	STG90	1,060 lbs.

Virnig Skeleton Rock Grapple

Model

Weight

V30 Compact Tractor Skeleton Rock Grapple - Recommended operating capacity <1,500 lbs.

48" Virnig V30 Compact Tractor Skeleton Rock Grapple	SRGV48-CT	345 lbs.
54" Virnig V30 Compact Tractor Skeleton Rock Grapple	SRGV54-CT	365 lbs.
60" Virnig V30 Compact Tractor Skeleton Rock Grapple	SRGV60-CT	385 lbs.
66" Virnig V30 Compact Tractor Skeleton Rock Grapple	SRGV66-CT	405 lbs.
72" Virnig V30 Compact Tractor Skeleton Rock Grapple	SRGV72-CT	425 lbs.

V40 Skeleton Rock Grapple - Recommended operating capacity <2,200 lbs.

66" Virnig V40 Skeleton Rock Grapple	BSRGV66	925 lbs.
72" Virnig V40 Skeleton Rock Grapple	BSRGV72	960 lbs.
84" Virnig V40 Skeleton Rock Grapple	BSRGV84	1,040 lbs.

V50 Skeleton Rock Grapple - Recommended operating capacity <2,400 lbs.

60" Virnig V50 Skeleton Rock Grapple	SRGV60	950 lbs.
66" Virnig V50 Skeleton Rock Grapple	SRGV66	1,000 lbs.
• 72" Virnig V50 Skeleton Rock Grapple	SRGV72	1,045 lbs.
• 78" Virnig V50 Skeleton Rock Grapple	SRGV78	1,090 lbs.
• 84" Virnig V50 Skeleton Rock Grapple	SRGV84	1,135 lbs.

V50 Skeleton Rock Grapple Open Sides- Recommended operating capacity <2,400 lbs.

60" Virnig V50 Skeleton Rock Grapple	SRGV60-O	950 lbs.
66" Virnig V50 Skeleton Rock Grapple	SRGV66-O	1,000 lbs.
72" Virnig V50 Skeleton Rock Grapple	SRGV72-O	1,045 lbs.
• 78" Virnig V50 Skeleton Rock Grapple	SRGV78-O	1,090 lbs.
84" Virnig V50 Skeleton Rock Grapple	SRGV84-O	1,135 lbs.

V60 Skeleton Rock Grapple - Recommended operating capacity >2,400 lbs.

72" Virnig V60 Skeleton Rock Grapple	HSRGV72	1,090 lbs.
78" Virnig V60 Skeleton Rock Grapple	HSRGV78	1,125 lbs.
84" Virnig V60 Skeleton Rock Grapple	HSRGV84	1,180 lbs.
90" Virnig V60 Skeleton Rock Grapple	HSRGV90	1,215 lbs.

Virnig Scrap Grapple

Model

Weight

Includes Bolt On Edge

V50 Scrap Grapple - Recommended operating capacity <2,400 lbs.

60" Virnig Scrap Grapple	SBG60	987 lbs.
66" Virnig Scrap Grapple	SBG66	1,031 lbs.
• 72" Virnig Scrap Grapple	SBG72	1,074 lbs.
• 78" Virnig Scrap Grapple	SBG78	1,132 lbs.

V60 Scrap Grapple - Recommended operating capacity >2,400 lbs.

72" Virnig Industrial Scrap Grapple	ISG72	1,189 lbs.
78" Virnig Industrial Scrap Grapple	ISG78	1,247 lbs.
• 84" Virnig Industrial Scrap Grapple	ISG84	1,294 lbs.
90" Virnig Industrial Scrap Grapple	ISG90	1,341 lbs.

Virnig Root Rake Grapple	Model	Weight
V30 Compact Tractor Root Rake Grapple - Recommended operating capacity <1,500 lbs.		
54" Virnig V30 Compact Tractor Root Rake Grapple	URG54-CT	245 lbs.
60" Virnig V30 Compact Tractor Root Rake Grapple	URG60-CT	270 lbs.
66" Virnig V30 Compact Tractor Root Rake Grapple	URG66-CT	290 lbs.
V40 Root Rake Grapple - Recommended operating capacity <2,200 lbs.		
60" Virnig V40 Root Rake Grapple	URG60-UT	625 lbs.
66" Virnig V40 Root Rake Grapple	URG66-UT	645 lbs.
72" Virnig V40 Root Rake Grapple	URG72-UT	695 lbs.
V50 Root Rake Grapple - Recommended operating capacity <2,400 lbs.		
66" Virnig Root Rake	URG66	790 lbs.
• 72" Virnig Root Rake	URG72	845 lbs.
• 78" Virnig Root Rake	URG78	905 lbs.
V60 Root Rake Grapple - Recommended operating capacity >2,400 lbs.		
72" Virnig V60 Root Rake Grapple	RRG72	1,175 lbs.
78" Virnig V60 Root Rake Grapple	RRG78	1,230 lbs.
• 84" Virnig V60 Root Rake Grapple	RRG84	1,315 lbs.
***Known clearance issue on John Deere® G-Series loaders (330G, 331G, 332G, and 333G) & Takeuchi TL12		
Virnig Multi-Purpose Bucket (4-in-1)	Model	Weight
Includes Bolt On Edge		
66" Virnig V60 Multi-Purpose Bucket	HMPV66	1,136 lbs.
72" Virnig V60 Multi-Purpose Bucket	HMPV72	1,199 lbs.
78" Virnig V60 Multi-Purpose Bucket	HMPV78	1,272 lbs.
84" Virnig V60 Multi-Purpose Bucket	HMPV84	1,334 lbs.
Options		
Holding Valve (Increase Holding Force) - Bobcat, Cat, Kubota, Terex/ASV	MPVHV-L	-
Holding Valve (Increase Holding Force) - Case, NH, John Deere, All Others	MPVHV-C	
Reversible Bolt on Side Cutters (Holes must be drilled in older buckets)	SCH	-
Virnig Stump Bucket Grapple	Model	Weight
• 16" Virnig Stump Bucket Grapple	STMPG	590 lbs.
Virnig Bolt On Grapple	Model	Weight
• 60-84" Virnig One Cylinder Bolt On Grapples	BOGV6084	275 lbs.

Virnig V60 Trencher (Skid-Steer)

Model

Weight

Trencher assemblies include hoses/couplers.

36" Trencher Assemblies (Requires Chain)

36" Virnig Trencher Assembly - 15-25 GPM	TRN36-25	965 lbs.
36" Virnig Trencher Assembly - 25-33 GPM	TRN36-HF33	1,004 lbs.
36" Virnig Trencher Assembly - 33-42 GPM	TRN36-HF42	1,019 lbs.

36" Chain and Teeth Assemblies

For 36" Boom 6" Wide Chain - Tooth Every Station	10139PP	125 lbs.
For 36" Boom 6" Wide Chain - 70/30 Terminator	10140PP	170 lbs.
For 36" Boom 6" Wide Chain - 50/50 Rock and Frost	10141PP	182 lbs.

*Other widths available.

48" Trencher Assemblies (Requires Chain)

• 48" Virnig Trencher Assembly - 15-25 GPM	TRN48-25	1,007 lbs.
48" Virnig Trencher Assembly - 25-33 GPM	TRN48-HF33	1,046 lbs.
48" Virnig Trencher Assembly - 33-42 GPM	TRN48-HF42	1,061 lbs.

48" Chain and Teeth Assemblies

• For 48" Boom 6" Wide Chain - Tooth Every Station	9867PP	157 lbs.
• For 48" Boom 6" Wide Chain - 70/30 Terminator	9868PP	212 lbs.
• For 48" Boom 6" Wide Chain - 50/50 Rock and Frost	9869PP	227 lbs.

*Other widths available.

60" Trencher Assemblies (Requires Chain)

60" Virnig Trencher Assembly - 15-25 GPM	TRN60-25	1,034 lbs.
60" Virnig Trencher Assembly - 25-33 GPM	TRN60-HF33	1,073 lbs.
60" Virnig Trencher Assembly - 33-42 GPM	TRN60-HF42	1,088 lbs.

60" Chain and Teeth Assemblies

For 60" Boom 6" Wide Chain - Tooth Every Station	9995PP	185 lbs.
For 60" Boom 6" Wide Chain - 70/30 Terminator	9996PP	251 lbs.
For 60" Boom 6" Wide Chain - 50/50 Rock and Frost	9997PP	268 lbs.

*Other widths available.

Replacement Wear Parts

• Cup Tooth - Left	54431
• Cup Tooth - Right	54432
• Rock & Frost Tooth - Bradco	7061
• Rock & Frost Tooth – Virnig	9846PP

Virnig V50 Trencher (Skid-Steer)	Model	Weight
----------------------------------	-------	--------

Trencher assemblies include hoses/couplers.

36" V50 Trencher Assembly (Requires Chain)

36" Virnig Trencher Assembly - 15-25 GPM	TCH36-25	965 lbs.
--	----------	----------

36" Chain and Teeth Assemblies

For 36" Boom 6" Wide Chain - Tooth Every Station	15587PP	125 lbs.
--	---------	----------

For 36" Boom 6" Wide Chain - 70/30 Combo	15588PP	170 lbs.
--	---------	----------

For 36" Boom 6" Wide Chain - 50/50 Rock and Frost	15589PP	182 lbs.
---	---------	----------

*Other widths available.

48" V50 Trencher Assembly (Requires Chain)

48" Virnig Trencher Assembly - 15-25 GPM	TCH48-25	1,007 lbs.
--	----------	------------

48" Chain and Teeth Assemblies

For 48" Boom 6" Wide Chain - Tooth Every Station	15597PP	157 lbs.
--	---------	----------

For 48" Boom 6" Wide Chain - 70/30 Combo	15598PP	213 lbs.
--	---------	----------

For 48" Boom 6" Wide Chain - 50/50 Rock and Frost	15599PP	227 lbs.
---	---------	----------

*Other widths available.

60" V50 Trencher Assembly (Requires Chain)

60" Virnig Trencher Assembly - 15-25 GPM	TCH60-25	1,034 lbs.
--	----------	------------

60" Chain and Teeth Assemblies

For 60" Boom 6" Wide Chain - Tooth Every Station	15649PP	185 lbs.
--	---------	----------

For 60" Boom 6" Wide Chain - 70/30 Combo	15650PP	251 lbs.
--	---------	----------

For 60" Boom 6" Wide Chain - 50/50 Rock and Frost	15651PP	268 lbs.
---	---------	----------

*Other widths available.

Virnig V20 Trencher (Mini Skid-Steer)	Model	Weight
---------------------------------------	-------	--------

Trencher assemblies include Mini Universal Mount and hoses/couplers.

36" V20 Trencher Assembly (Requires Chain)

36" Virnig Trencher Assembly - 10-18 GPM	CTRN36-18	640 lbs.
--	-----------	----------

36" Chain and Teeth Assemblies

For 36" Boom 4" Wide Chain - Double Standard Cup	15900PP	
--	---------	--

For 36" Boom 4" Wide Chain - 70/30 Combo	15901PP	
--	---------	--

For 36" Boom 4" Wide Chain - 50/50 Rock and Frost	15902PP	
---	---------	--

For 36" Boom 6" Wide Chain - Double Standard Cup	15904PP	
--	---------	--

For 36" Boom 6" Wide Chain - 70/30 Combo	15905PP	
--	---------	--

For 36" Boom 6" Wide Chain - 50/50 Rock and Frost	15906PP	
---	---------	--

For 36" Boom 8" Wide Chain - Double Standard Cup	15908PP	
--	---------	--

For 36" Boom 8" Wide Chain - 70/30 Combo	15909PP	
--	---------	--

For 36" Boom 8" Wide Chain - 50/50 Rock and Frost	15910PP	
---	---------	--

*Mini ASV and Mini Bobcat Mounts Available

48" V20 Trencher Assembly (Requires Chain)

48" Virnig Trencher Assembly - 10-18 GPM	CTRN48-18	760 lbs.
--	-----------	----------

36" Chain and Teeth Assemblies

For 48" Boom 4" Wide Chain - Double Standard Cup	15912PP	
--	---------	--

For 48" Boom 4" Wide Chain - 70/30 Combo	15913PP	
--	---------	--

For 48" Boom 4" Wide Chain - 50/50 Rock and Frost	15914PP	
---	---------	--

For 48" Boom 6" Wide Chain - Double Standard Cup	15916PP	
--	---------	--

For 48" Boom 6" Wide Chain - 70/30 Combo	15917PP	
--	---------	--

For 48" Boom 6" Wide Chain - 50/50 Rock and Frost	15918PP	
---	---------	--

*Mini ASV and Mini Bobcat Mounts Available

Trenchers

Premier T155 Trencher (Skid-Steer)			Model	Weight
Includes Skid-Steer Mounting and Hoses/Couplers. 15-25 GPM.				
48” Digging Depth Tooth Every Station (Double Standard)				
• T155 Trencher Assembly - 48" Digging Depth 6" Wide Double Standard Tooth			91090	1,135 lbs.

Premier T125 Mini Trencher (Mini Skid-Steer)			Model	Weight
Includes Mini Universal Mounting and Hoses/Couplers. 10-15 GPM.				
36” Digging Depth Tooth Every Station (Double Standard)				
• T125 Mini Trencher Assembly - 36" Digging Depth - 6" Wide Tooth Every Station			91053	615 lbs.

Haugen Work Platforms

Model

Weight

Telehandler Work Platforms

- | | | |
|--|-----------|----------|
| • Haugen Work Platform 4'x6' - Fits Fork Tines Up to 3.5" x 7.5" | MWP-4x6 | 487 lbs. |
| • Haugen Work Platform 4'x8' - Fits Fork Tines Up to 3.5" x 7.5" | MWP-4x8 | 578 lbs. |
| • Haugen Work Platform 4'x9'8" - Fits Fork Tines Up to 3.5" x 7.5" | MWP-4x116 | 630 lbs. |

Premier Duo-Tach Trailer Hitch

Model

Weight

Premier's patent pending Duo-Tach mounting system allows attachments to be used on both full size and mini skid steers. Includes 3 Ball Hitch (1 7/8", 2", 2 5/16")

- | | | |
|---|-------|----------|
| • Premier Duo-Tach Trailer Hitch - 2" & 2.5" Receiver | 91212 | 225 lbs. |
|---|-------|----------|

Strike Force Hydraulic Breaker by Paladin Mini Skid Steer

Model

Weight

Assemblies include mounting bracket, hoses, two working tools, and an extra seal kit.

Mini Skid Steer Assemblies

- | | | |
|--|--------------|----------|
| • SFB250 Hydraulic Breaker – Mini Universal (2,204 to 6,614 Lbs. Carrier Weight) | 237250M-0961 | 403 lbs. |
|--|--------------|----------|
- *While Supplies Last

Haugen Skid-Steer Insudtrial Jib Boom

Model

Weight

- | | | |
|--|--------|----------|
| • 27" - 98" (2,050 lb.) Haugen Adjustable Jib Boom - SSL Mount | MIJSKD | 380 lbs. |
|--|--------|----------|

Haugen Skid-Steer Hydraulic Jib Boom

Model

Weight

Telescopes from 8'6" to 20' feet. Comes standard with a J Hook. 900 lbs. capacity at 20 feet.

- | | | |
|--------------------------------------|-------|----------|
| Haugen Skid-Steer Hydraulic Jib Boom | HT-20 | 705 lbs. |
|--------------------------------------|-------|----------|

Virnig Trailer Hitch

Model

Weight

Skid Steer Trailer Hitch - Ball Not Included

TM

160 lbs.

[Mini Universal Trailer Hitch - Ball Not Included](#)

CTM

45 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Options

- | | | |
|--------------------------------------|-------|---|
| • 3 Ball Hitch (1 7/8", 2", 2 5/16") | 90333 | - |
| • Pintle Hitch | 90454 | - |

Virnig Concrete Bucket

Model

Weight

- | | | |
|-------------------------------|-------|----------|
| ½ Yard Virnig Concrete Bucket | CB500 | 515 lbs. |
| ¾ Yard Virnig Concrete Bucket | CB750 | 630 lbs. |

MB Crusher Buckets

BF Compact Line Crusher Bucket		Model	Weight
BF Compact Line Crusher Bucket for Excavator or Backhoe Loader			
● MB-C50 S4 Crusher Bucket 6.5T - 10T Excavator (24-32 GPM.)		MB-C50 S4	1,653 lbs.
*Excavator Mounting Plate not Included (Call w/Machine Make/Model for Quote)			
*Hoses and Couplers Not Included			
● Suggested Spare Parts Kit - MB-C50 S4		BF5000010	

*All other MB crusher buckets available, please call.

MB-L Crusher Buckets		Model	Weight
Skid Steer Mount			
● MB-L120 S2 Crusher Bucket 6,610 lbs. Min. Machine Weight (25-32 GPM.)		MB-L120 S2	2,095 lbs.
● MB-L160 S2 Crusher Bucket 11,020 lbs. Min. Machine Weight (29-53 GPM.)		MB-L160 S2	3,197 lbs.
*Hoses and Couplers Not Included			
● Suggested Spare Parts Kit - MB-L120 S2		MBL140015	
● Suggested Spare Parts Kit - MB-L160 S2		MBL160044	

*All other MB crusher buckets available, please call.

MB Screening Buckets

MB-S Compact Line Screening Buckets	Model	Weight
-------------------------------------	-------	--------

BF Compact Line Screening Bucket for Excavator or Backhoe Loader

- MB-S10 S4 Screening Bucket 6T - 9T Excavator (50mm. X 50mm. Grid Standard) MB-S10 S4 904 lbs.
*Excavator Mounting Plate not Included (Call w/Machine Make/Model for Quote)
*Hoses and Couplers Not Included
- Suggested Spare Parts Kit - MB-S10 S4 MBS100032

*All other MB screening buckets available, please call.

MB-HDS Shafts Screener Buckets	Model	Weight
--------------------------------	-------	--------

Skid Steer Mount

- MB-HDS212 Shafts Screener Bucket 6,610 lbs. Min. Machine Weight (20-26 GPM.) MB-HDS212 1,058 lbs.
Includes RQ20 Sifting Kit
- MB-HDS214 Shafts Screener Bucket 6,610 lbs. Min. Machine Weight (20-26 GPM.) MB-HDS214 1,087 lbs.
Includes RQ8 Sifting Kit
*Hoses and Couplers Not Included
- Suggested Spare Parts Kit - MB-HDS212 MBDS21205
- Suggested Spare Parts Kit - MB-HDS214 MBDS21420

*All other MB screening buckets available, please call.

MB Sorting Grapples

MG-B Sorting Grapples for Excavators			Model	Weight
MB-G Compact Line Sorting Grapples for Excavators				
● MB-G450 S4 Sorting Grapple 3T - 6T Excavator (12V Diverter Valve Included)			MB-G450 S4	635 lbs.
● MB-G600 S4 Sorting Grapple 6T - 12T Excavator (12V Diverter Valve Included)			MB-G600 S4	1,389 lbs.
*Excavator Mounting Plate not Included (Call w/Machine Make/Model for Quote)				
*Hoses and Couplers Not Included				
● Suggested Spare Parts Kit - MB-G600 S4			MBG500012	

*All other MB sorting grapples available, please call.

Virnig Bale Spears (Skid Steer)

- Virnig Bale Spear - One 42" Main Spear, Two Stabilizers
- Virnig Bale Spear - Two 42" Main Spears, Two Stabilizers
- Virnig Bale Spear - Two 48" Main Spears

Model	Weight
BSV48	230 lbs.
BASS66	310 lbs.
BFV48	270 lbs.

Virnig Hay Bucket Grapple

Includes Bolt On Edge

Model	Weight
HBG72	1,449 lbs.
HBG84	1,564 lbs.

72" Virnig Hay Bucket Grapple

- 84" Virnig Hay Bucket Grapple

Virnig Bale Grapple

54" Virnig Big Bale Grapple

Model	Weight
BG54	900 lbs.
BG72	1,050 lbs.
BG84	1,150 lbs.

72" Virnig Big Bale Grapple

84" Virnig Big Bale Grapple

Virnig Rubber Manure Scraper

72" Virnig Rubber Manure Scraper

Model	Weight
SMR72	670 lbs.
SMR84	725 lbs.
SMR96	785 lbs.

84" Virnig Rubber Manure Scraper

96" Virnig Rubber Manure Scraper

Virnig Feed Pusher

96" Virnig Feed Pusher

Model	Weight
FPV	520 lbs.

Virnig Tine Fork Grapple

Includes Cylinder Guards

Model	Weight
-------	--------

V50 Tine Fork Grapple - 2" Tines

Virnig Heavy Tine Fork Grapple 60"

TBG260	1,050 lbs.
TBG266	1,120 lbs.
TBG272	1,190 lbs.
TBG278	1,260 lbs.

Virnig Heavy Tine Fork Grapple 66"

- Virnig Heavy Tine Fork Grapple 72"

- Virnig Heavy Tine Fork Grapple 78"

V60 Tine Fork Grapple - 2.25" Tines

Virnig Industrial Tine Fork Grapple 72"

ITG72	1,335 lbs.
ITG78	1,410 lbs.
ITG84	1,480 lbs.
ITG90	1,505 lbs.

Virnig Industrial Tine Fork Grapple 78"

- Virnig Industrial Tine Fork Grapple 84"

Virnig Industrial Tine Fork Grapple 90"

Virnig Utility Fork	Model	Weight
---------------------	-------	--------

V40 Skid-Steer Mount

60" Virnig Utility Fork	MV60	545 lbs.
66" Virnig Utility Fork	MV66	570 lbs.
72" Virnig Utility Fork	MV72	655 lbs.
78" Virnig Utility Fork	MV78	695 lbs.

V30 Compact Tractor w/ Skid-Steer Mount

48" Virnig Utility Fork	UV48-CT	305 lbs.
54" Virnig Utility Fork	UV54-CT	335 lbs.
60" Virnig Utility Fork	UV60-CT	365 lbs.
66" Virnig Utility Fork	UV66-CT	400 lbs.
72" Virnig Utility Fork	UV72-CT	430 lbs.

Virnig Utility Fork Grapple	Model	Weight
-----------------------------	-------	--------

V40 Skid-Steer Mount

60" Virnig Utility Fork Grapple	MGV160	835 lbs.
66" Virnig Utility Fork Grapple	MGV166	860 lbs.
72" Virnig Utility Fork Grapple	MGV172	950 lbs.
78" Virnig Utility Fork Grapple	MGV178	990 lbs.

V30 Compact Tractor w/ Skid-Steer Mount

48" Virnig Utility Fork Grapple	UGV48-CT	480 lbs.
54" Virnig Utility Fork Grapple	UGV54-CT	510 lbs.
60" Virnig Utility Fork Grapple	UGV60-CT	540 lbs.
66" Virnig Utility Fork Grapple	UGV66-CT	570 lbs.
72" Virnig Utility Fork Grapple	UGV72-CT	600 lbs.

Virnig Cold Planer

Model

Weight

Without Built in Internal Water Tank - Comes Standard with Asphalt Picks

High Flow 26-50 GPM (Requires Electrical Control)

18" Virnig Cold Planer	PLR18-50	2,160 lbs.
24" Virnig Cold Planer	PLR24-50	2,310 lbs.
30" Virnig Cold Planer	PLR30-50	2,450 lbs.
40" Virnig Cold Planer	PLR40-50	2,735 lbs.
48" Virnig Cold Planer	PLR48-50	2,920 lbs.

With Built in 55 Gal. Internal Water Tank - Comes Standard with Asphalt Picks

High Flow 26-50 GPM (Requires Electrical Control)

18" Virnig Cold Planer w/Water Tank	PLR18-50-W	2,490 lbs.
• 24" Virnig Cold Planer w/Water Tank	PLR24-50-W	2,645 lbs.
30" Virnig Cold Planer w/Water Tank	PLR30-50-W	2,790 lbs.
40" Virnig Cold Planer w/Water Tank	PLR40-50-W	3,080 lbs.
48" Virnig Cold Planer w/Water Tank	PLR48-50-W	3,270 lbs.

Electrical Controls

• Electrical Control - 7 Pin (Bobcat)	ELC7-PLR	
• Electrical Control - 14 Pin (Case/New Holland/Volvo/Kubota/JCB/Takeuchi)	ELC14-PLR	
• Electrical Control - 14 Pin (John Deere)	ELC14JD-PLR	
• Electrical Control - 14 Pin (Cat High-Flow)	ELC14CATHF-PLR	
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)	ELCACC-PLR	-

NOTE: John Deere loaders built before 2021 and any loaders with an 8 pin connection require an electric control box ELCACC.

Replacement Parts

Replacement Individual Asphalt Pick	PLRPA	-
Replacement Individual Concrete Pick	PLRPC	
Replacement 50 Asphalt Picks Kit	PLRBXA	
Replacement 50 Concrete Picks Kit	PLRBXC	

Replacement Sweeper Brushes

Model

Weight

Standard Convoluted Brushes - 2 Pin/Lug

These are the most popular brushes and are used by many manufacturers. All brushes have two pins on the inside.

• Individual Convoluted Poly Brush 6-3/8" ID - 24" OD	01-5009C	1.9 lbs.
• Individual Convoluted Wire Brush 6-3/8" ID - 24" OD	01-0015C	2.7 lbs.
• Individual Convoluted Poly Brush 8" ID - 26" OD	01-5210	2.0 lbs.
• Individual Convoluted Wire Brush 8" ID - 26" OD	01-0848	3.6 lbs.
• Individual Convoluted Poly Brush 10" ID - 32" OD	01-5002C	3.3 lbs.
• Individual Convoluted Wire Brush 10" ID - 32" OD	01-0006C	4.0 lbs.
• Individual Convoluted Mixed Brush 10" ID - 32" OD	01-5878	3.7 lbs.
• Individual Convoluted Poly Brush 10" ID - 36" OD	01-5003C	3.5 lbs.
• Individual Convoluted Wire Brush 10" ID - 36" OD	01-0007C	4.3 lbs.

Standard Flat Brushes - 2 Pin/Lug

• Individual Flat Poly Brush 10" ID - 32" OD	01-5002	3.3 lbs.
--	---------	----------

Bobcat Brushes

• Individual Convoluted Poly Brush 6-3/8" ID - 21" OD	01-5675	1.5 lbs.
• Individual Flat Poly Brush 6-3/8" ID - 21" OD	01-5768	1.5 lbs.

Gutter Brushes

• Wire Gutter Brush (Sweepster/Virnig)	01-0523	20 lbs.
• Poly Gutter Brush (Sweepster/Virnig)	01-0704	10.0 lbs.

Virnig Angle Sweeper (Skid-Steer)

Model

Weight

Manual Angle

60" Virnig Manual Angle Sweeper 15-25 GPM	VAB60	970 lbs.
72" Virnig Manual Angle Sweeper 15-25 GPM	VAB72	1,035 lbs.
84" Virnig Manual Angle Sweeper 15-25 GPM	VAB84	1,095 lbs.
96" Virnig Manual Angle Sweeper 15-25 GPM	VAB96	1,160 lbs.

Hydraulic Angle (Requires Electrical Control)

• 60" Virnig Hydraulic Angle Sweeper 15-25 GPM	VAB60-HA	1,020 lbs.
• 72" Virnig Hydraulic Angle Sweeper 15-25 GPM	VAB72-HA	1,085 lbs.
• 84" Virnig Hydraulic Angle Sweeper 15-25 GPM	VAB84-HA	1,145 lbs.
• 96" Virnig Hydraulic Angle Sweeper 15-25 GPM	VAB96-HA	1,210 lbs.

Electrical Controls

• Electrical Control - 8 Pin (Cat)	ELC8	1 lbs.
• Electrical Control - 14 Pin (Case/New Holland/Volvo/Kubota/JCB/Takeuchi)	ELC14	1 lbs.
• Electrical Control - 14 Pin (Cat)	ELC14CAT	1 lbs.
• Electrical Control - 14 Pin (John Deere)	ELC14JD	1 lbs.
• Electrical Control - 7 Pin (Bobcat)	ELC7	5 lbs.
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)	ELCACC	1 lbs.

Virnig Pickup Sweeper (Skid-Steer)

Model

Weight

Open design. Hood does not tie back to skid-steer. No front caster wheel.

• 60" Virnig Pick-Up Sweeper 15-25 GPM	PUB60	1,110 lbs.
• 72" Virnig Pick-Up Sweeper 15-25 GPM	PUB72	1,120 lbs.
• 84" Virnig Pick-Up Sweeper 15-25 GPM	PUB84	1,250 lbs.

Gutter Brush

• Gutter Brush for Virnig Pick-Up Sweeper	GB	95 lbs.
---	----	---------

Water Kit

Water Kit for 60" Virnig Pick-Up Sweeper - 30 Gal.	WK60	105 lbs.
• Water Kit for 72" Virnig Pick-Up Sweeper - 40 Gal. Low Profile	WK72	111 lbs.
• Water Kit for 84" Virnig Pick-Up Sweeper - 40 Gal. Low Profile	WK84	117 lbs.

Replacement Edges - Includes Hardware (5/8" x 2" Plow Bolt)

• 60" Replacement Steel Edge Kit - 5/8 x 6 x 60, 10 Bolt	PUBEK60	68 lbs.
• 72" Replacement Steel Edge Kit - 5/8 x 6 x 72, 12 Bolt	PUBEK72	82 lbs.
• 84" Replacement Steel Edge Kit - 5/8 x 6 x 84, 14 Bolt	PUBEK84	96 lbs.

Replacement Rubber Flaps

• 60" Replacement Rubber Flap	8750PP	
• 72" Replacement Rubber Flap	8467PP	
• 84" Replacement Rubber Flap	8765PP	

Virnig Internal Water Tank Pickup Sweeper (Skid-Steer)

Model

Weight

Open design. Hood does not tie back to skid-steer. No front caster wheel. Built in internal 55 gal. Water tank.

• 72" Virnig Internal Water Tank Pick-Up Sweeper 15-25 GPM	PUBWI72	1,330 lbs.
• 84" Virnig Internal Water Tank Pick-Up Sweeper 15-25 GPM	PUBWI84	1,465 lbs.

Gutter Brush

• Gutter Brush for Virnig Pick-Up Sweeper	GB	95 lbs.
---	----	---------

Replacement Edges - Includes Hardware (5/8" x 2" Plow Bolt)

• 72" Replacement Steel Edge Kit - 5/8 x 6 x 72, 12 Bolt	PUBEK72	82 lbs.
• 84" Replacement Steel Edge Kit - 5/8 x 6 x 84, 14 Bolt	PUBEK84	96 lbs.

Replacement Rubber Flaps

• 72" Replacement Rubber Flap	8467PP	-
• 84" Replacement Rubber Flap	8765PP	-

Sweepster CTH Angle Sweeper

Model

Weight

Front-Mount Mechanical to Hydraulic Drive for Commercial Turf Mowers.

Brush Head (Requires Mount)

60" Sweepster CTH Hydraulic Angle Sweeper - John Deere 1500 Series	S26P5SM14TALET01	505 lbs.
--	------------------	----------

*While Supplies Last

Virnig Snow Buckets		Model	Weight
Price Includes Bolt On Edge			
V40 - 26.6" Height - Operating capacities less than 2,400 lbs.			
60" V40 Snow/Light Material Bucket (22.3 ft³)		SLHV60	582 lbs.
66" V40 Snow/Light Material Bucket (24.5 ft³)		SLHV66	626 lbs.
• 72" V40 Snow/Light Material Bucket (26.6 ft³)		SLHV72	669 lbs.
• 78" V40 Snow/Light Material Bucket (28.8 ft³)		SLHV78	712 lbs.
• 84" V40 Snow/Light Material Bucket (31.0 ft³)		SLHV84	754 lbs.
• 96" V40 Snow/Light Material Bucket (35.3 ft³)		SLHV96	896 lbs.
V50 - 29.8" Height - Operating capacities greater than 1,800 lbs.			
• 72" V50 Snow/Light Material Bucket (31.9 ft³)		MSHV72	775 lbs.
• 78" V50 Snow/Light Material Bucket (34.6 ft³)		MSHV78	817 lbs.
• 84" V50 Snow/Light Material Bucket (37.2 ft³)		MSHV84	859 lbs. Call
• 96" V50 Snow/Light Material Bucket (42.6 ft³)		MSHV96	936 lbs. Call
• 101" V50 Snow/Light Material Bucket (44.5 ft³)		MSHV101	961 lbs. Call
V60 - 40.5" Height - Operating capacities greater than 2,400 lbs.			
78" V60 Snow/Light Material Bucket (48.1 ft³)		SBHV78	1,057 lbs.
• 84" V60 Snow/Light Material Bucket (51.8 ft³)		SBHV84	1,144 lbs.
• 96" V60 Snow/Light Material Bucket (59.3 ft³)		SBHV96	1,306 lbs.
• 101" V60 Snow/Light Material Bucket (62.6 ft³)		SBHV101	1,381 lbs.
*Heaped Capacity			
Replacement Cutting Edges - Includes Hardware (5/8" x 2.00" Plow Bolts)			
• 60" Virnig Bolt On Edge		BEV60	83 lbs.
• 66" Virnig Bolt On Edge		BEV66	91 lbs.
• 72" Virnig Bolt On Edge		BEV72	99 lbs.
• 78" Virnig Bolt On Edge		BEV78	105 lbs.
• 84" Virnig Bolt On Edge		BEV84	113 lbs.
• 96" Virnig Bolt On Edge		BEV96	129 lbs.
• 101" Virnig Bolt On Edge		BEV101	133 lbs.

Virnig Snow Blowers

Model

Weight

V50 Standard Flow Snow Blower

• 60" Standard-Flow Snow Blower With GPM Range 16-25	VBWB60-25	930 lbs.
• 72" Standard-Flow Snow Blower With GPM Range 16-25	VBWB72-25	990 lbs.
• 84" Standard-Flow Snow Blower With GPM Range 16-25	VBWB84-25	1,065 lbs.

V60 Standard Flow Snow Blower

60" Standard-Flow Snow Blower With GPM Range 14-18	VBW60-18	1,225 lbs.
60" Standard-Flow Snow Blower With GPM Range 18-25	VBW60-25	1,225 lbs.
• 72" Standard-Flow Snow Blower With GPM Range 14-18	VBW72-18	1,325 lbs.
• 72" Standard-Flow Snow Blower With GPM Range 18-25	VBW72-25	1,325 lbs.
• 84" Standard-Flow Snow Blower With GPM Range 14-18	VBW84-18	1,425 lbs.
• 84" Standard-Flow Snow Blower With GPM Range 18-25	VBW84-25	1,425 lbs.

V60 High-Flow Snow Blower

60" High-Flow Snow Blower With GPM Range 25-33	VBW60-HF33	1,325 lbs.
60" High-Flow Snow Blower With GPM Range 33-42	VBW60-HF42	1,325 lbs.
• 72" High-Flow Snow Blower With GPM Range 25-33	VBW72-HF33	1,425 lbs.
72" High-Flow Snow Blower With GPM Range 33-42	VBW72-HF42	1,425 lbs.
• 84" High-Flow Snow Blower With GPM Range 25-33	VBW84-HF33	1,525 lbs.
• 84" High-Flow Snow Blower With GPM Range 33-42	VBW84-HF42	1,525 lbs.

Electrical Controls

• Electrical Control - 8 Pin (Cat)	ELC8	1 lbs.
• Electrical Control - 14 Pin (Case/New Holland/Volvo/Kubota/JCB/Takeuchi)	ELC14	1 lbs.
• Electrical Control - 14 Pin (Cat)	ELC14CAT	1 lbs.
• Electrical Control - 14 Pin (Cat High-Flow)	ELC14CATHF	1 lbs.
• Electrical Control - 14 Pin (John Deere)	ELC14JD	1 lbs.
• Electrical Control - 7 Pin (Bobcat)	ELC7	5 lbs.
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)	ELCACC-SB	3 lbs.

Virnig Snow Blades - V50 and V60

Model

Weight

(Skid-Steer Mount Only)

Two angle cylinders, four trip springs, and crossover relief valve standard on all V60 models.

V60 Angle Snow Blade - Recommended operating capacity > 1,500 lbs.

• 72" Virnig V60 Snow Blade	SBS72	990 lbs.
• 84" Virnig V60 Snow Blade	SBS84	1,050 lbs.
• 96" Virnig V60 Snow Blade	SBS96	1,110 lbs.
• 108" Virnig V60 Snow Blade	SBS108	1,170 lbs.
• 120" Virnig V60 Snow Blade	SBS120	1,230 lbs.

V50 Angle Snow Blade - Recommended operating capacity <1,800 lbs.

A lighter version of the V60 series for less intense snow removal jobs. Includes one angle cylinder, and two trip springs.

60" Virnig V50 Snow Blade	SBS60-LD	815 lbs.
• 72" Virnig V50 Snow Blade	SBS72-LD	870 lbs.
• 84" Virnig V50 Snow Blade	SBS84-LD	920 lbs.
• 96" Virnig V50 Snow Blade	SBS96-LD	975 lbs.

Pin-On Wings - V60 Only

Two 12" wings angled forward at 20° add 21.75" to width of blade. WGS-R is required for older blades and does require some holes to be drilled for installation. V60 Snow Blades Only.

• 12" Pin-On Wings - For Blades with Mounting Holes in Moldboard	WGS	145 lbs.
• 12" Pin-On Wings - For Blades without Mounting Holes in Moldboard	WGS-R	165 lbs.
Replacement Wing Edge Kit	WGSEK	20 lbs.

Replacement Parts

• Wear Shoes (Requires 2 Per Blade)	6854PP	7 lbs.
-------------------------------------	--------	--------

Replacement Steel Edge Kits - Includes Hardware (5/8" x 3.25" & 2.00" Plow Bolts)

• 60" Replacement Steel Edge Kit	SEK60	82 lbs.
• 72" Replacement Steel Edge Kit	SEK72	99 lbs.
• 84" Replacement Steel Edge Kit	SEK84	114 lbs.
• 96" Replacement Steel Edge Kit	SEK96	126 lbs.
• 108" Replacement Steel Edge Kit	SEK108	149 lbs.
• 120" Replacement Steel Edge Kit	SEK120	165 lbs.

Note: Edge is same as BEV.

Virnig Snow Blades - V30 and V40

Model

Weight

(Skid-Steer Mount Only)

V40 Manual Angle Snow Blade - Recommended operating capacity <1,500 lbs. (Compact Tractors and Small SSL)

60" Virnig V40 Snow Blade	SBS60-UT	570 lbs.
72" Virnig V40 Snow Blade	SBS72-UT	635 lbs.
84" Virnig V40 Snow Blade	SBS84-UT	680 lbs.
96" Virnig V40 Snow Blade	SBS96-UT	725 lbs.

V30 Manual Angle Snow Blade - Recommended operating capacity <1,000 lbs. (Compact Tractors)

60" Virnig V30 Snow Blade	SBS60-CT	385 lbs.
72" Virnig V30 Snow Blade	SBS72-CT	410 lbs.

Options

One-Cylinder Hydraulic Angle	SBSHA1	-
Two-Cylinder Hydraulic Angle	SBSHA2	
Quick-Tach Shoes	QTSS	15 lbs.

V30 Replacement Steel Edge Kits - Includes Hardware

• 60" Replacement Steel Edge Kit	UBEK60	59 lbs.
• 72" Replacement Steel Edge Kit	UBEK72	71 lbs.

V40 Replacement Steel Edge Kits - Includes Hardware

• 60" Replacement Steel Edge Kit	SEK60	82 lbs.
• 72" Replacement Steel Edge Kit	SEK72	99 lbs.
• 84" Replacement Steel Edge Kit	SEK84	114 lbs.
• 96" Replacement Steel Edge Kit	SEK96	126 lbs.

Note: Edge is same as BEV.

Virnig Hydraulic Snow Blade / Pusher (Hydraulic Wings)

Model

Weight

Hydraulic wings allow conversion from straight blade to snow pusher. Recommended operating capacity > 1,800 lbs.

(Skid-Steer Mount Only)

• 120" Virnig Hydraulic Snow Blade / Pusher Combo	HSBP120	1,590 lbs.
• 132" Virnig Hydraulic Snow Blade / Pusher Combo	HSBP132	1,650 lbs.
• 144" Virnig Hydraulic Snow Blade / Pusher Combo	HSBP144	1,710 lbs.
• 156" Virnig Hydraulic Snow Blade / Pusher Combo	HSBP156	1,770 lbs.

Electrical Controls - One Required

• Electrical Control - 8 Pin (Cat)	ELC8	1 lbs.
• Electrical Control - 14 Pin (Case/New Holland/Volvo/Kubota/JCB/Takeuchi)	ELC14	1 lbs.
• Electrical Control - 14 Pin (Cat)	ELC14CAT	1 lbs.
• Electrical Control - 14 Pin (John Deere)	ELC14JD	1 lbs.
• Electrical Control - 7 Pin (Bobcat)	ELC7	5 lbs.
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)	ELCACC	1 lbs.

Replacement Steel Edge Kit - Includes Hardware

120" Replacement Snow Blade / Pusher Edge Kit	HSBPEK120	182 lbs.
132" Replacement Snow Blade / Pusher Edge Kit	HSBPEK132	198 lbs.
144" Replacement Snow Blade / Pusher Edge Kit	HSBPEK144	213 lbs.
156" Replacement Snow Blade / Pusher Edge Kit	HSBPEK156	230 lbs.

Virnig V60 V-Snow Blade

Model

Weight

Recommended operating capacity > 1,500 lbs.

(Skid-Steer Mount Only)

48" Virnig V60 V-Snow Blade	SBV48	1,065 lbs.
60" Virnig V60 V-Snow Blade	SBV60	1,135 lbs.
• 72" Virnig V60 V-Snow Blade	SBV72	1,185 lbs.
• 84" Virnig V60 V-Snow Blade	SBV84	1,240 lbs.
• 96" Virnig V60 V-Snow Blade	SBV96	1,295 lbs.
• 108" Virnig V60 V-Snow Blade	SBV108	1,350 lbs.
• 120" Virnig V60 V-Snow Blade	SBV120	1,390 lbs.

Pin-On Wings

Two 12" wings angled forward at 20° add 21.75" to width of blade.

• 12" Pin-On Wings - For Blades with Mounting Holes in Moldboard	WGS	145 lbs.
• 12" Pin-On Wings - For Blades without Mounting Holes in Moldboard	WGS-R	165 lbs.
Replacement Wing Edge Kit	WGSEK	20 lbs.

Replacement Steel Edge Kit - Includes Hardware

48" Replacement Steel Edge Kit	VEK48	98 lbs.
60" Replacement Steel Edge Kit	VEK60	92 lbs.
• 72" Replacement Steel Edge Kit	VEK72	99 lbs.
• 84" Replacement Steel Edge Kit	VEK84	114 lbs.
• 96" Replacement Steel Edge Kit	VEK96	126 lbs.
• 108" Replacement Steel Edge Kit	VEK108	149 lbs.
• 120" Replacement Steel Edge Kit	VEK120	165 lbs.

Virnig Snow Pusher

Model

Weight

(Skid-Steer Mount Only)

V60 Steel Trip Edge Snow Pusher - 31.7" High - 5/8" x 8" Steel Edge

• 84" Virnig Steel Trip Edge Snow Pusher	SESP84	1,210 lbs.
• 96" Virnig Steel Trip Edge Snow Pusher	SESP96	1,275 lbs.
• 108" Virnig Steel Trip Edge Snow Pusher	SESP108	1,340 lbs.
• 120" Virnig Steel Trip Edge Snow Pusher	SESP120	1,380 lbs.

Pull Back for Steel Trip Edge Snow Pusher - 5/8" x 8" Steel Edge

• 84" Pull Back for Steel Edge Snow Pusher	SEP84	265 lbs.
• 96" Pull Back for Steel Edge Snow Pusher	SEP96	295 lbs.
• 108" Pull Back for Steel Edge Snow Pusher	SEP108	325 lbs.
• 120" Pull Back for Steel Edge Snow Pusher	SEP120	350 lbs.

Virnig V50 Rotary Brush Cutter – Standard Deck

Model

Weight

4" Diameter cutting capacity.

Standard Flow 14-18 GPM

60" V50 Standard Deck Brush Cutter 14-18 GPM	RBV60-18	1,180 lbs.
66" V50 Standard Deck Brush Cutter 14-18 GPM	RBV66-18	1,325 lbs.
72" V50 Standard Deck Brush Cutter 14-18 GPM	RBV72-18	1,435 lbs.
78" V50 Standard Deck Brush Cutter 14-18 GPM	RBV78-18	1,540 lbs.

Standard Flow 18-25 GPM

60" V50 Standard Deck Brush Cutter 18-25 GPM	RBV60-25	1,180 lbs.
66" V50 Standard Deck Brush Cutter 18-25 GPM	RBV66-25	1,325 lbs.
• 72" V50 Standard Deck Brush Cutter 18-25 GPM	RBV72-25	1,435 lbs.
• 78" V50 Standard Deck Brush Cutter 18-25 GPM	RBV78-25	1,540 lbs.

High Flow 25-33 GPM

60" V50 Standard Deck Brush Cutter 25-33 GPM	RBV60-HF33	1,180 lbs.
66" V50 Standard Deck Brush Cutter 25-33 GPM	RBV66-HF33	1,325 lbs.
72" V50 Standard Deck Brush Cutter 25-33 GPM	RBV72-HF33	1,435 lbs.
78" V50 Standard Deck Brush Cutter 25-33 GPM	RBV78-HF33	1,540 lbs.

High Flow 33-42 GPM

60" V50 Standard Deck Brush Cutter 33-42 GPM	RBV60-HF42	1,180 lbs.
66" V50 Standard Deck Brush Cutter 33-42 GPM	RBV66-HF42	1,325 lbs.
72" V50 Standard Deck Brush Cutter 33-42 GPM	RBV72-HF42	1,435 lbs.
78" V50 Standard Deck Brush Cutter 33-42 GPM	RBV78-HF42	1,540 lbs.

Floating Deck

Floating deck mowers are also available. Call Talet for pricing.

Options

• Wheel Kit for Rotary Brush Cutter (Pair)	BCC	110 lbs.
--	-----	----------

V50 Standard Deck Brush Cutter Replacement Blade Kits

• 60" V50 Standard Deck Brush Cutter Replacement Blade Kit	CBK60	41 lbs.
• 66" V50 Standard Deck Brush Cutter Replacement Blade Kit	CBK66	41 lbs.
• 72" V50 Standard Deck Brush Cutter Replacement Blade Kit	CBK72	47 lbs.
• 78" V50 Standard Deck Brush Cutter Replacement Blade Kit	CBK78	51 lbs.

Virnig V50 Rotary Brush Cutter – Open Front Deck

Model

Weight

6" Diameter cutting capacity.

Standard Flow 14-18 GPM

66" V50 Open Front Brush Cutter 14-18 GPM	RBV66-18-O	1,465 lbs.
72" V50 Open Front Brush Cutter 14-18 GPM	RBV72-18-O	1,550 lbs.
78" V50 Open Front Brush Cutter 14-18 GPM	RBV78-18-O	1,625 lbs.

Standard Flow 18-25 GPM

66" V50 Open Front Brush Cutter 18-25 GPM	RBV66-25-O	1,465 lbs.
72" V50 Open Front Brush Cutter 18-25 GPM	RBV72-25-O	1,550 lbs.
• 78" V50 Open Front Brush Cutter 18-25 GPM	RBV78-25-O	1,625 lbs.
84" V50 Open Front Brush Cutter 18-25 GPM	RBV84-25-O	1,700 lbs.

High Flow 25-33 GPM

66" V50 Open Front Brush Cutter 25-33 GPM	RBV66-HF33-O	1,535 lbs.
72" V50 Open Front Brush Cutter 25-33 GPM	RBV72-HF33-O	1,620 lbs.
78" V50 Open Front Brush Cutter 25-33 GPM	RBV78-HF33-O	1,695 lbs.
84" V50 Open Front Brush Cutter 25-33 GPM	RBV84-HF33-O	1,770 lbs.

High Flow 33-42 GPM

66" V50 Open Front Brush Cutter 33-42 GPM	RBV66-HF42-O	1,535 lbs.
72" V50 Open Front Brush Cutter 33-42 GPM	RBV72-HF42-O	1,620 lbs.
78" V50 Open Front Brush Cutter 33-42 GPM	RBV78-HF42-O	1,695 lbs.
• 84" V50 Open Front Brush Cutter 33-42 GPM	RBV84-HF42-O	1,770 lbs.

V50 Open Front Brush Cutter Replacement Blade Kits

66" V50 Open Front Brush Cutter Replacement Blade Kit	OBK66	47 lbs.
72" V50 Open Front Brush Cutter Replacement Blade Kit	OBK72	47 lbs.
• 78" V50 Open Front Brush Cutter Replacement Blade Kit	OBK78	47 lbs.
• 84" V50 Open Front Brush Cutter Replacement Blade Kit	OBK84	47 lbs.

Virnig V40 Rotary Brush Cutter

Model

Weight

Similar to the V50 Brush Cutter but with less options and features. 3" Diameter cutting capacity.

Standard Deck

60" V40 Standard Deck Brush Cutter 16-25 GPM (Standard Flow)	BBV60	1,075 lbs.
• 72" V40 Standard Deck Brush Cutter 16-25 GPM (Standard Flow)	BBV72	1,300 lbs.

Open Front

60" V40 Open Front Brush Cutter 16-25 GPM (Standard Flow)	BBV60-O	1,090 lbs.
• 72" V40 Open Front Brush Cutter 16-25 GPM (Standard Flow)	BBV72-O	1,310 lbs.

V40 Brush Cutter Replacement Blade Kits

• 60" V40 Brush Cutter Replacement Blade Kit	CBK60	41 lbs.
• 72" V40 Brush Cutter Replacement Blade Kit	CBK72	47 lbs.

Virnig V60 Industrial Rotary Brush Cutter

Model

Weight

8" Diameter cutting capacity.

Standard Flow 20-25 GPM

• 72" V60 Industrial Brush Cutter 20-25 GPM	IRC72-25	2,120 lbs.
78" V60 Industrial Brush Cutter 20-25 GPM	IRC78-25	2,280 lbs.
84" V60 Industrial Brush Cutter 20-25 GPM	IRC84-25	2,420 lbs.

High Flow 25-32 GPM

72" V60 Industrial Brush Cutter 25-32 GPM	IRC72-HF32	2,120 lbs.
78" V60 Industrial Brush Cutter 25-32 GPM	IRC78-HF32	2,280 lbs.
84" V60 Industrial Brush Cutter 25-32 GPM	IRC84-HF32	2,490 lbs.

High Flow 32-39 GPM

72" V60 Industrial Brush Cutter 32-39 GPM	IRC72-HF39	2,120 lbs.
78" V60 Industrial Brush Cutter 32-39 GPM	IRC78-HF39	2,280 lbs.
84" V60 Industrial Brush Cutter 32-39 GPM	IRC84-HF39	2,490 lbs.

High Flow 39-45 GPM

72" V60 Industrial Brush Cutter 39-45 GPM	IRC72-HF45	2,120 lbs.
78" V60 Industrial Brush Cutter 39-45 GPM	IRC78-HF45	2,280 lbs.
• 84" V60 Industrial Brush Cutter 39-45 GPM	IRC84-HF45	2,490 lbs.

V60 Brush Cutter Optional Carbide Teeth (Factory Install)

72" V60 Brush Cutter Carbide Tooth Kit	IRC72TKA	13 lbs.
78" V60 Brush Cutter Carbide Tooth Kit	IRC78TKA	16 lbs.
84" V60 Brush Cutter Carbide Tooth Kit	IRC84TKA	18 lbs.

V60 Brush Cutter Replacement Carbide Teeth

72" V60 Brush Cutter Replacement Carbide Tooth Kit	IRC72TKH	13 lbs.
78" V60 Brush Cutter Replacement Carbide Tooth Kit	IRC78TKH	16 lbs.
84" V60 Brush Cutter Replacement Carbide Tooth Kit	IRC84TKH	18 lbs.
V60 Brush Cutter Individual Replacement Carbide Tooth	IRCRT	1 lbs.

V60 Brush Cutter Replacement Blade Kits

• 72" V60 Brush Cutter Replacement Blade Kit	IBK72	62 lbs.
• 78" V60 Brush Cutter Replacement Blade Kit	IBK78	62 lbs.
• 84" V60 Brush Cutter Replacement Blade Kit	IBK84	62 lbs.

Virnig V70 Drum Mulcher	Model	Weight
14" Diameter Cutting Capacity - 30-50 GPM. High Flow Only. Recommended Loader Capacity - Greater than 2800 pounds		
Variable Piston Motor - Provides more torque for productive stump grinding and mulching below grade.		
Fixed Piston Motor - Economical motor for mulching lighter vegetation above ground.		

Popular Assemblies

60" Virnig V70 Drum Mulcher Assembly Variable Piston Motor Smooth Drum (Carbide Hammer Teeth) Includes Pressure Gauge	91195	2,800 lbs.
72" Virnig V70 Drum Mulcher Assembly Variable Piston Motor Smooth Drum (Carbide Hammer Teeth) Includes Pressure Gauge	91199	3,080 lbs.

Build Your Own - Must quote mulcher and teeth.**Models w/Smooth Drum (Designed for heavy ground engagement and mulching into the soil.)**

60" Virnig V70 Drum Mulcher Variable Piston Motor Smooth Drum (Teeth Req.)	DRM60VS	2,735 lbs.
60" Virnig V70 Drum Mulcher Fixed Piston Motor Smooth Drum (Teeth Req.)	DRM60FS	2,735 lbs.
72" Virnig V70 Drum Mulcher Variable Piston Motor Smooth Drum (Teeth Req.)	DRM72VS	3,010 lbs.
72" Virnig V70 Drum Mulcher Fixed Piston Motor Smooth Drum (Teeth Req.)	DRM72FS	3,010 lbs.

Models w/Bite Control Drum (Helps maintain drum speed by limiting the depth of material being processed.)

60" Virnig V70 Drum Mulcher Variable Piston Motor Bite Control Drum (Teeth Req.)	DRM60VB	2,865 lbs.
60" Virnig V70 Drum Mulcher Fixed Piston Motor Bite Control Drum (Teeth Req.)	DRM60FB	2,865 lbs.
72" Virnig V70 Drum Mulcher Variable Piston Motor Bite Control Drum (Teeth Req.)	DRM72VB	3,165 lbs.
72" Virnig V70 Drum Mulcher Fixed Piston Motor Bite Control Drum (Teeth Req.)	DRM72FB	3,165 lbs.

Tooth Sets (One Required)

Steel Planer Teeth for 60" Drum Mulcher (34 teeth)	DRM60TKS	47 lbs.
Carbide Planer Teeth for 60" Drum Mulcher (34 teeth)	DRM60TKP	62 lbs.
Carbide Hammer Teeth for 60" Drum Mulcher (34 teeth)	DRM60TKH	62 lbs.
Steel Planer Teeth for 72" Drum Mulcher (38 teeth)	DRM72TKS	52 lbs.
Carbide Planer Teeth for 72" Drum Mulcher (38 teeth)	DRM72TKP	69 lbs.
Carbide Hammer Teeth for 72" Drum Mulcher (38 teeth)	DRM72TKH	69 lbs.

Steel Planer Teeth - For max productivity and the finest mulch without ground contact.**Carbide Planer Teeth** - For higher productivity and minimal ground contact.**Carbide Hammer Teeth** - For significant ground engagement in rocky conditions.**Options**

Pressure Gauge	DRM-PG	-
----------------	--------	---

Replacement Parts

Steel Planer Tooth (1 tooth & 1 bolt)	DRMTS	2 lbs.
Carbide Planer Tooth (1 tooth & 1 bolt)	DRMTTP	2 lbs.
Carbide Hammer Tooth (1 tooth & 1 bolt)	DRMTH	2 lbs.

Virnig V70 Disc Mulcher	Model	Weight
14" Diameter cutting capacity.		

• 60" Virnig V70 Tree Disc Mulcher 30-45 GPM. (Case Drain Required)	TDM60	2,710 lbs.
---	-------	------------

Replacement Parts

V70 Disc Mulcher Replacement Tooth Kit	TDM60TK	70 lbs.
• V70 Disc Mulcher Replacement Tooth (Top/Bottom)	TDMRTB	2 lbs.
• V70 Disc Mulcher Replacement Tooth (Outer Disc)	TDMRTO	2 lbs.

Virnig X30 Mini Excavator Rotary Brush Cutter

Model

Weight

4" Diameter cutting capacity.

42" Model / Mounting Extra, See List Below or Contact Talet w/Excavator Make/Model, and Coupler Info

- | | | |
|--|----------|----------|
| 42" X30 Mini Excavator Rotary Brush Cutter 15-25 GPM | XBC42-25 | 700 lbs. |
| 42" X30 Mini Excavator Rotary Brush Cutter 22-28 GPM | XBC42-28 | 700 lbs. |

*Recommended Mini Excavator Weight - 8,900 lbs. - 26,000 lbs.

Options for 42" Model

- | | | |
|--|----------|----------|
| One Bolt-On Side Chain Curtain | XBC42SC1 | 65 lbs. |
| Two Bolt-On Side Chain Curtains | XBC42SC2 | 130 lbs. |
| Carbide Teeth for 42" Mini Excavator Rotary Cutter | XBC42TKA | 8 lbs. |

48" Model / Mounting Extra, See List Below or Contact Talet w/Excavator Make/Model, and Coupler Info

- | | | |
|--|----------|----------|
| 48" X30 Mini Excavator Rotary Brush Cutter 15-22 GPM | XBC48-22 | 815 lbs. |
| 48" X30 Mini Excavator Rotary Brush Cutter 22-28 GPM | XBC48-28 | 815 lbs. |
| 48" X30 Mini Excavator Rotary Brush Cutter 28-35 GPM | XBC48-35 | 815 lbs. |
| 48" X30 Mini Excavator Rotary Brush Cutter 35-38 GPM | XBC48-38 | 815 lbs. |

*Recommended Mini Excavator Weight - 11,000 lbs. - 26,000 lbs.

Options for 48" Model

- | | | |
|--|----------|----------|
| One Bolt-On Side Chain Curtain | XBC48SC1 | 75 lbs. |
| Two Bolt-On Side Chain Curtains | XBC48SC2 | 150 lbs. |
| Carbide Teeth for 42" Mini Excavator Rotary Cutter | XBC48TKA | 12 lbs. |

Mounting Brackets

- | | | |
|--|-------|----------|
| X30 Brush Cutter Mount - Kubota KX057 | 91223 | 105 lbs. |
| X30 Brush Cutter Mount - Kubota KX040 | 91189 | 90 lbs. |
| X30 Brush Cutter Mount - Bobcat X-Change | 91190 | 145 lbs. |
| X30 Brush Cutter Mount - Cat 304/305CR Pin-Grabber | 91191 | 105 lbs. |
| X30 Brush Cutter Mount - Deere 50/60 Wedge | 91188 | 110 lbs. |

Replacement Parts

- | | | |
|--------------------------------------|----------|---------|
| 42" Mini Excavatory Cutter Blade Kit | XBK42 | 60 lbs. |
| 42" Mini Excavatory Cutter Tooth Kit | XBC42TKH | 8 lbs. |
| Carbide Tooth Individual | IRCRT | 1 lbs. |

*Recommended Mini Excavator Weight - Greater than 8,900 lbs.

Tree & Stump Handling

Virnig U-Blade (Tree Scoop)		
• Virnig U-Blade 26"	UBV26	370 lbs.
• Virnig U-Blade 30"	UBV30	390 lbs.
• Virnig U-Blade 36"	UBV36	390 lbs.
Virnig Stump Bucket Grapple		
• 16" Virnig Stump Bucket Grapple	STMPG	590 lbs.
Virnig Stump Bucket		
• 16" Virnig Stump Bucket	STMP	375 lbs.
Virnig Tree Puller		
Jaws open to 11.5" to quickly pull out trees and fence posts. Includes hoses and couplers		
• Virnig Tree Puller	TRP	465 lbs.
Virnig Digging Tree Puller		
Jaws open to 32" Dig, pull, and remove trees, stumps, and rocks. Includes hoses and couplers		
• Virnig Digging Tree Puller	DTP	830 lbs.

Virnig Tiller

	Model	Weight
54" Tiller 6" Tines, 15-25 GPM	TLR54	900 lbs.
• 72" Tiller 6" Tines, 15-25 GPM	TLR72	1,050 lbs.

Replacement Tine Kits

54" Tiller Tine Kit (28 Tines)	TLRTK54	56 lbs.
• 72" Tiller Tine Kit (36 Tines)	TLRTK72	72 lbs.

Virnig V20 Mini Tiller

	Model	Weight
Mini Universal Mount		
• 48" V20 Mini Skid Steer Tiller 10-18 GPM	CTLR48	470 lbs.
• Replacement 48" Mini Skid Tiller Tine Kit	CTLRTK48	48 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig Power Rake

	Model	Weight
Manual Angle		
72" Virnig Manual Angle Power Rake	PWR72	1,335 lbs.
90" Virnig Manual Angle Power Rake	PWR90	1,440 lbs.

Hydraulic Angle (Requires Electrical Control)

• 72" Virnig Hydraulic Angle Power Rake	PWR72-HA	1,385 lbs.
• 90" Virnig Hydraulic Angle Power Rake	PWR90-HA	1,490 lbs.

Electrical Controls

• Electrical Control - 8 Pin (Cat)	ELC8	1 lbs.
• Electrical Control - 14 Pin (Case/New Holland/Volvo/Kubota/JCB/Takeuchi)	ELC14	1 lbs.
• Electrical Control - 14 Pin (Cat)	ELC14CAT	1 lbs.
• Electrical Control - 14 Pin (John Deere)	ELC14JD	1 lbs.
• Electrical Control - 7 Pin (Bobcat)	ELC7	5 lbs.
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)	ELCACC	1 lbs.

Virnig V20 Mini Power Rake

	Model	Weight
Mini Universal Mount		
• 48" Manual Angle V20 Mini Power Rake 10-18 GPM.	CPR48	520 lbs.
60" Manual Angle V20 Mini Power Rake 10-18 GPM.	CPR60	565 lbs.
• Optional Hydraulic Angle - Requires Electrical Control	CPR-HAE	35 lbs.
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter)*	ELCACC	1 lbs.

* Utilizes 12 volt accessory plug (cigarette lighter) in cab for power, includes magnetic box with switch for control.

***Mini ASV and Mini Bobcat Mounts Available

Virnig Root Rake Grapple			Model	Weight
V30 Compact Tractor Root Rake Grapple - Recommended operating capacity <1,500 lbs.				
54" Virnig V30 Compact Tractor Root Rake Grapple			URG54-CT	245 lbs.
60" Virnig V30 Compact Tractor Root Rake Grapple			URG60-CT	270 lbs.
66" Virnig V30 Compact Tractor Root Rake Grapple			URG66-CT	290 lbs.
V40 Root Rake Grapple - Recommended operating capacity <2,200 lbs.				
60" Virnig V40 Root Rake Grapple			URG60-UT	625 lbs.
66" Virnig V40 Root Rake Grapple			URG66-UT	645 lbs.
72" Virnig V40 Root Rake Grapple			URG72-UT	695 lbs.
V50 Root Rake Grapple - Recommended operating capacity <2,400 lbs.				
66" Virnig Root Rake			URG66	790 lbs.
• 72" Virnig Root Rake			URG72	845 lbs.
• 78" Virnig Root Rake			URG78	905 lbs.
V60 Root Rake Grapple - Recommended operating capacity >2,400 lbs.				
72" Virnig V60 Root Rake Grapple			RRG72	1,175 lbs.
78" Virnig V60 Root Rake Grapple			RRG78	1,230 lbs.
• 84" Virnig V60 Root Rake Grapple			RRG84	1,315 lbs.
***Known clearance issue on John Deere® G-Series loaders (330G, 331G, 332G, and 333G) & Takeuchi TL12				
FFC Scarifier			Model	Weight
• Front Mount Scarifier (1/2" to 6" Depth)			LAF2201	410 lbs.
*While Supplies Last				

Virnig Dozer Blade	Model	Weight
72" Dozer Blade	DZR72	1,510 lbs.
84" Dozer Blade	DZR84	1,575 lbs.
• 96" Dozer Blade	DZR96	1,640 lbs.

Electrical Controls - One Required

• Electrical Control - 8 Pin (Cat)	ELC8	1 lbs.
• Electrical Control - 14 Pin (Case/New Holland/Volvo/Kubota/JCB/Takeuchi)	ELC14	1 lbs.
• Electrical Control - 14 Pin (Cat)	ELC14CAT	1 lbs.
• Electrical Control - 14 Pin (John Deere)	ELC14JD	1 lbs.
• Electrical Control - 7 Pin (Bobcat)	ELC7	5 lbs.
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)	ELCACC	1 lbs.

Replacement Edges - Includes Hardware (5/8" x 1.75" Plow Bolts) Note: Same as BEV

• Replacement Edge Kit for 72" Dozer Blade	DEK72	99 lbs.
• Replacement Edge Kit for 84" Dozer Blade	DEK84	114 lbs.
• Replacement Edge Kit for 96" Dozer Blade	DEK96	126 lbs.

Virnig Land Leveler	Model	Weight
72" Virnig Land Leveler	LLV72	710 lbs.
• 78" Virnig Land Leveler	LLV78	790 lbs.
• 84" Virnig Land Leveler	LLV84	820 lbs.
90" Virnig Land Leveler	LLV90	850 lbs.

Options

72" Virnig Hydraulic Scarifier For Land Leveler	SK72	195 lbs.
• 78" Virnig Hydraulic Scarifier For Land Leveler	SK78	205 lbs.
• 84" Virnig Hydraulic Scarifier For Land Leveler	SK84	215 lbs.
90" Virnig Hydraulic Scarifier For Land Leveler	SK90	245 lbs.

Silt Fence Plow

Silt Fence Plow Rotary Offset	Model	Weight
Requires 60+ HP		
• Universal Skid-Steer Hitch - Max 48" Fabric - Offset with Fabric Curtain and Coulter	RS-SFP48	1033 lbs.

Silt Fence Plow Push Pull	Model	Weight
Requires 80+ HP and Tracks		
• Universal Skid-Steer Hitch - Max 48" Fabric – Offset	PP-SFP48	1283 lbs.

Bradco Mini Adapter For Universal Attachment

Model

Weight

Machine To Attachment

- | Machine To Attachment | Model | Weight |
|---|--------|----------|
| • Adapter - Mini Universal to Mini Bobcat | 103633 | 80 lbs. |
| • Adapter - Mini Universal to Skid Steer | 123794 | 164 lbs. |

Mini Blank Mounts

Model

Weight

- | Mini Blank Mounts | Model | Weight |
|--|-------|---------|
| • Blank Mount - Mini Universal | 31629 | 40 lbs. |
| • Blank Mount - Mini Bobcat | 16142 | 70 lbs. |
| • Talet Mini Trailer Hitch - 2" Receiver - Includes 3 Ball Hitch (1 7/8", 2", 2 5/16") | TH500 | 50 lbs. |
| • Virnig Mini Universal Trailer Hitch - Ball Not Included | CTM | 45 lbs. |

Premier Mini Auger Drives

Model

Weight

3 Year Warranty. Mini Universal Mount.

Auger Drive Assemblies - Includes drive, mini universal mount, hoses, and couplers.

- | Auger Drive Assemblies - Includes drive, mini universal mount, hoses, and couplers. | Model | Weight |
|---|-------|----------|
| • MS14PD Auger Drive Assembly 2.56" Round / 10-20 GPM (Max. 30" Auger Diameter)
*While Supplies Last | 91050 | 157 lbs. |
| • MS14PD Auger Drive Assembly 2" Hex / 10-20 GPM (Max. 30" Auger Diameter) | 91073 | 157 lbs. |

Mini Auger Bits (2.56" Round)

- | Mini Auger Bits (2.56" Round) | Model | Weight |
|--------------------------------------|-------|---------|
| • 6" x 3' (2 Teeth) HDF Style Auger | 20020 | 40 lbs. |
| • 9" x 3' (3 Teeth) HDF Style Auger | 20095 | 76 lbs. |
| • 12" x 3' (4 Teeth) HDF Style Auger | 20182 | 93 lbs. |

McMillen Mini Auger Drives

Model

Weight

X1500 Auger Drive, High Torque, 8.0 CU, RU256

- | McMillen Mini Auger Drives | Model | Weight |
|--|-------|----------|
| • X1500 Auger Drive - 2.56" Round - Mini Universal
*While Supplies Last | 24453 | 150 lbs. |

Mini Auger Bits (2.56" Round)

- | Mini Auger Bits (2.56" Round) | Model | Weight |
|--------------------------------------|-------|---------|
| • 6" x 3' (2 Teeth) HDF Style Auger | 20020 | 40 lbs. |
| • 9" x 3' (3 Teeth) HDF Style Auger | 20095 | 76 lbs. |
| • 12" x 3' (4 Teeth) HDF Style Auger | 20182 | 93 lbs. |

Virnig V20 Mini Auger Drive

Model

Weight

Auger Drive Assemblies - Includes drive, extended height mount, hoses, and couplers.**Mini Universal Mount**

- | Auger Drive Assemblies - Includes drive, extended height mount, hoses, and couplers. | Model | Weight |
|--|-------|----------|
| • Virnig Mini Auger Drive Assembly 2" Hex / 10-18 GPM (Max. 30" Auger Diameter) | 91296 | 225 lbs. |

Mini Bobcat Mount

- | | | |
|---|-------|----------|
| • Virnig Mini Auger Drive Assembly 2" Hex / 10-18 GPM (Max. 30" Auger Diameter) | 91297 | 250 lbs. |
|---|-------|----------|

Mini ASV Mount

- | | | |
|---|-------|----------|
| • Virnig Mini Auger Drive Assembly 2" Hex / 10-18 GPM (Max. 30" Auger Diameter) | 91298 | 255 lbs. |
|---|-------|----------|

Virnig V20 Mini Brush Cutter

Model

Weight

3" Diameter Cutting Capacity. Mini Universal Mount.

Standard Deck (Closed Front w/Chains)

- | | | |
|---|----------|----------|
| • 42" V20 Standard Deck Brush Cutter 11-18 GPM. | CBC42-18 | 660 lbs. |
| 48" V20 Standard Deck Brush Cutter 11-18 GPM. | CBC48-18 | 760 lbs. |

Open Front (Exposed blades allow faster cutting)

- | | | |
|---|------------|----------|
| • 42" V20 Open Front Deck Brush Cutter 11-18 GPM. | CBC42-18-O | 630 lbs. |
| 48" V20 Open Front Deck Brush Cutter 11-18 GPM. | CBC48-18-O | 730 lbs. |

V20 Brush Cutter Replacement Blade Kits

- | | | |
|--|-------|---------|
| • 42" V20 Brush Cutter Replacement Blade Kit | MBK42 | 31 lbs. |
| 48" V20 Brush Cutter Replacement Blade Kit | MBK48 | 31 lbs. |
- *Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Angle Broom

Model

Weight

Mini Universal Mount

- | | | |
|--|-------|----------|
| • 48" Manual Angle V20 Mini Angle Broom 10-18 GPM. | CAB48 | 495 lbs. |
| 60" Manual Angle V20 Mini Angle Broom 10-18 GPM. | CAB60 | 530 lbs. |

- | | | |
|--|---------|---------|
| • Optional Hydraulic Angle - Requires Electrical Control | CAB-HAE | 35 lbs. |
|--|---------|---------|

- | | | |
|---|--------|--------|
| • Electrical Control - 12 V Accessory Plug (Cigarette Lighter)* | ELCACC | 1 lbs. |
|---|--------|--------|

* Utilizes 12 volt accessory plug (cigarette lighter) in cab for power, includes magnetic box with switch for control.

***Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Low Profile Dirt Buckets

Model

Weight

Mini Universal Mount

Smooth Edge

- | | | |
|---|--------|----------|
| • 36" V20 Mini Low Profile Bucket - Includes Bolt on Edge (5.2 ft³) | CLPB36 | 222 lbs. |
| • 42" V20 Mini Low Profile Bucket - Includes Bolt on Edge (6.1 ft³) | CLPB42 | 247 lbs. |
| 44" V20 Mini Low Profile Bucket - Includes Bolt on Edge (6.4 ft³) | CLPB44 | 259 lbs. |
| • 48" V20 Mini Low Profile Bucket - Includes Bolt on Edge (6.9 ft³) | CLPB48 | 277 lbs. |

Tooth

- | | | |
|---|----------|----------|
| • 36" V20 Mini Low Profile Bucket w/4 Teeth (5.2 ft³) | CLPB36WT | 218 lbs. |
| • 42" V20 Mini Low Profile Bucket w/5 Teeth (6.1 ft³) | CLPB42WT | 244 lbs. |
| 44" V20 Mini Low Profile Bucket w/5 Teeth (6.4 ft³) | CLPB44WT | 254 lbs. |
| • 48" V20 Mini Low Profile Bucket w/5 Teeth (6.9 ft³) | CLPB48WT | 269 lbs. |

*Mini Bobcat Mount Available

Virnig V20 Mini High Capacity Dirt Buckets

Model

Weight

Mini Universal Mount

Smooth Edge

36" V20 Mini High Capacity Bucket - Includes Bolt on Edge (7.2 ft³)	CHCB36	262 lbs.
42" V20 Mini High Capacity Bucket - Includes Bolt on Edge (8.4 ft³)	CHCB42	292 lbs.
44" V20 Mini High Capacity Bucket - Includes Bolt on Edge (8.8 ft³)	CHCB44	304 lbs.
48" V20 Mini High Capacity Bucket - Includes Bolt on Edge (9.6 ft³)	CHCB48	327 lbs.
54" V20 Mini High Capacity Bucket - Includes Bolt on Edge (10.8 ft³)	CHCB54	356 lbs.

Tooth

36" V20 Mini High Capacity Bucket w/4 Teeth (7.2 ft³)	CHCB36WT	258 lbs.
42" V20 Mini High Capacity Bucket w/5 Teeth (8.4 ft³)	CHCB42WT	289 lbs.
44" V20 Mini High Capacity Bucket w/5 Teeth (8.8 ft³)	CHCB44WT	299 lbs.
48" V20 Mini High Capacity Bucket w/5 Teeth (9.6 ft³)	CHCB48WT	319 lbs.
54" V20 Mini High Capacity Bucket w/6 Teeth (10.8 ft³)	CHCB54WT	350 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Snow/Light Material Buckets

Model

Weight

Mini Universal Mount

• 36" V20 Mini Snow/Light Material Bucket - Includes Bolt on Edge (8.3 ft³)	CLMB36	242 lbs.
42" V20 Mini Snow/Light Material Bucket - Includes Bolt on Edge (9.8 ft³)	CLMB42	267 lbs.
• 48" V20 Mini Snow/Light Material Bucket - Includes Bolt on Edge (11.3 ft³)	CLMB48	292 lbs.
54" V20 Mini Snow/Light Material Bucket - Includes Bolt on Edge (12.8 ft³)	CLMB54	316 lbs.
• 60" V20 Mini Snow/Light Material Bucket - Includes Bolt on Edge (14.3 ft³)	CLMB60	341 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Skeleton Rock Buckets

Model

Weight

Mini Universal Mount - 2.9" tine Spacing

• 36" V20 Mini Skeleton Rock Bucket	CSRB36	180 lbs.
• 42" V20 Mini Skeleton Rock Bucket	CSRB42	205 lbs.
• 48" V20 Mini Skeleton Rock Bucket	CSRB48	225 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Skeleton Rock Grapples

Model

Weight

Mini Universal Mount - 2.9" tine Spacing

36" V20 Mini Skeleton Rock Grapple	CSRG36	300 lbs.
42" V20 Mini Skeleton Rock Grapple	CSRG42	320 lbs.
• 48" V20 Mini Skeleton Rock Grapple	CSRG48	345 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Root Rake Grapples

Model

Weight

Mini Universal Mount

• 36" V20 Mini Root Rake Grapple	CRG36	270 lbs.
42" V20 Mini Root Rake Grapple	CRG42	300 lbs.
• 48" V20 Mini Root Rake Grapple	CRG48	335 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Scrap Grapples

Model

Weight

Mini Universal Mount

- | | Model | Weight |
|--|-------|----------|
| • 36" V20 Mini Scrap Grapple - Includes Bolt on Edge | CSG36 | 352 lbs. |
| • 42" V20 Mini Scrap Grapple - Includes Bolt on Edge | CSG42 | 387 lbs. |
| • 48" V20 Mini Scrap Grapple - Includes Bolt on Edge | CSG48 | 417 lbs. |

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Skeleton Brush Grapples

Model

Weight

Mini Universal Mount - 5.9" tine Spacing

- | | Model | Weight |
|---------------------------------------|--------|----------|
| • 36" V20 Mini Skeleton Brush Grapple | CSGV36 | 240 lbs. |
| • 42" V20 Mini Skeleton Brush Grapple | CSGV42 | 265 lbs. |
| • 48" V20 Mini Skeleton Brush Grapple | CSGV48 | 280 lbs. |

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Multi-Purpose Bucket (4-in-1)

Model

Weight

Mini Universal Mount

Smooth Edge

- | | Model | Weight |
|---|-------|----------|
| 36" V20 Mini Low Profile Bucket - Includes Bolt on Edge (5.9 ft³) | CMP36 | 422 lbs. |
| 42" V20 Mini Low Profile Bucket - Includes Bolt on Edge (6.9 ft³) | CMP42 | 442 lbs. |
| 44" V20 Mini Low Profile Bucket - Includes Bolt on Edge (7.9 ft³) | CMP48 | 467 lbs. |
| 48" V20 Mini Low Profile Bucket - Includes Bolt on Edge (8.9 ft³) | CMP54 | 486 lbs. |

Tooth

- | | Model | Weight |
|---|---------|----------|
| 36" V20 Mini Low Profile Bucket w/4 Teeth (5.9 ft³) | CMP36WT | 418 lbs. |
| 42" V20 Mini Low Profile Bucket w/5 Teeth (6.9 ft³) | CMP42WT | 438 lbs. |
| 44" V20 Mini Low Profile Bucket w/5 Teeth (7.9 ft³) | CMP48WT | 463 lbs. |
| 48" V20 Mini Low Profile Bucket w/5 Teeth (8.9 ft³) | CMP54WT | 482 lbs. |

*Mini ASV and Mini Bobcat Mounts Available on Certain Widths Only

Strike Force Hydraulic Breaker by Paladin

Model

Weight

Assemblies include mounting bracket, hoses, two working tools, and an extra seal kit.

Mini Skid Steer Assemblies

- | | | |
|--|--------------|----------|
| • SFB250 Hydraulic Breaker – Mini Universal (2,204 to 6,614 Lbs. Carrier Weight) | 237250M-0961 | 403 lbs. |
|--|--------------|----------|

Haugen Mini Pallet Forks

Model

Weight

Mini Universal Mount

- | | | |
|--|---------|----------|
| • Mini Pallet Fork Assembly - 36" Wide Frame and 42" Tines (2,200 Lbs. Capacity) | MPF-T42 | 182 lbs. |
|--|---------|----------|

Bradco Mini Pallet Forks

Model

Weight

Class II Mini Pallet Fork Frame - Rail Style

- | | | |
|---|--------|---------|
| • Mini Pallet Fork Frame - 40" Wide - Mini Universal - Frame Only | 108366 | 80 lbs. |
|---|--------|---------|

*While Supplies Last

Class II Mini Pallet Fork Tines

- | | | |
|--|--------|----------|
| • 42" Pallet Fork Tines Class II 2130 lb. (Pair) | 106220 | 125 lbs. |
|--|--------|----------|

*While Supplies Last

Virnig V20 Mini Pallet Forks

Model

Weight

Mini Universal Mount

36" Wide V20 Mini Pallet Forks c/w 36" Tines (2,200 Lbs. Capacity)

CPF3622

245 lbs.

36" Wide V20 Mini Pallet Forks c/w 42" Tines (2,200 Lbs. Capacity)

CPF4222

255 lbs.

42" Wide V20 Mini Pallet Forks c/w 36" Tines (2,200 Lbs. Capacity)

CWPF3622

265 lbs.

42" Wide V20 Mini Pallet Forks c/w 42" Tines (2,200 Lbs. Capacity)

CWPF4222

275 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Tiller

Model

Weight

Mini Universal Mount

- 48" V20 Mini Skid Steer Tiller 10-18 GPM

CTLR48

470 lbs.

- Replacement 48" Mini Skid Tiller Tine Kit

CTLRTK48

48 lbs.

*Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Power Rake

Model

Weight

Mini Universal Mount

- 48" Manual Angle V20 Mini Power Rake 10-18 GPM.

CPR48

520 lbs.

60" Manual Angle V20 Mini Power Rake 10-18 GPM.

CPR60

565 lbs.

- Optional Hydraulic Angle - Requires Electrical Control

CPR-HAE

35 lbs.

- Electrical Control - 12 V Accessory Plug (Cigarette Lighter)*

ELCACC

1 lbs.

* Utilizes 12 volt accessory plug (cigarette lighter) in cab for power, includes magnetic box with switch for control.

***Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Rotating Log Grapple

Model

Weight

Mini Universal Mount

- Manual Rotating V20 Mini Log Grapple

CLG

300 lbs.

- Hydraulic Rotating V20 Mini Log Grapple (Requires Electrical Control)

CLG-H

350 lbs.

- Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)

ELCACC-HRE

-

***Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Digging Tree Puller

Model

Weight

Mini Universal Mount

Mini Tree Puller

CTP

250 lbs.

***Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Land Leveler

Model

Weight

Mini Universal Mount

36" V20 Mini Land Leveler

CLL36

185 lbs.

42" V20 Mini Land Leveler

CLL42

200 lbs.

48" V20 Mini Land Leveler

CLL48

210 lbs.

54" V20 Mini Land Leveler

CLL54

225 lbs.

Optional Scarifier

36" Scarifier

CSK36

42" Scarifier

CSK42

48" Scarifier

CSK48

54" Scarifier

CSK54

***Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Mini Snow Blower	Model	Weight
Mini Universal Mount		
• 48" V20 Mini Snow Blower 10-18 GPM. (Requires Electrical Control)	CSB48-18	610 lbs.
• Electrical Control - 12 V Accessory Plug (Cigarette Lighter/Universal)	ELCACC-SB	3 lbs.

***Mini ASV and Mini Bobcat Mounts Available

Virnig V20 Trencher (Mini Skid-Steer)	Model	Weight
Trencher assemblies include Mini Universal Mount and hoses/couplers.		
36" V20 Trencher Assembly (Requires Chain)		
36" Virnig Trencher Assembly - 10-18 GPM	CTRN36-18	640 lbs.
36" Chain and Teeth Assemblies		
For 36" Boom 4" Wide Chain - Double Standard Cup	15900PP	
For 36" Boom 4" Wide Chain - 70/30 Combo	15901PP	
For 36" Boom 4" Wide Chain - 50/50 Rock and Frost	15902PP	
For 36" Boom 6" Wide Chain - Double Standard Cup	15904PP	
For 36" Boom 6" Wide Chain - 70/30 Combo	15905PP	
For 36" Boom 6" Wide Chain - 50/50 Rock and Frost	15906PP	
For 36" Boom 8" Wide Chain - Double Standard Cup	15908PP	
For 36" Boom 8" Wide Chain - 70/30 Combo	15909PP	
For 36" Boom 8" Wide Chain - 50/50 Rock and Frost	15910PP	

*Mini ASV and Mini Bobcat Mounts Available

48" V20 Trencher Assembly (Requires Chain)		
48" Virnig Trencher Assembly - 10-18 GPM	CTRN48-18	760 lbs.
36" Chain and Teeth Assemblies		
For 48" Boom 4" Wide Chain - Double Standard Cup	15912PP	
For 48" Boom 4" Wide Chain - 70/30 Combo	15913PP	
For 48" Boom 4" Wide Chain - 50/50 Rock and Frost	15914PP	
For 48" Boom 6" Wide Chain - Double Standard Cup	15916PP	
For 48" Boom 6" Wide Chain - 70/30 Combo	15917PP	
For 48" Boom 6" Wide Chain - 50/50 Rock and Frost	15918PP	

*Mini ASV and Mini Bobcat Mounts Available

Premier T125 Mini Trencher	Model	Weight
Includes Mini Universal Mounting and Hoses/Couplers. 10-15 GPM.		
36" Digging Depth Tooth Every Station (Double Standard)		
• T125 Mini Trencher Assembly - 36" Digging Depth - 6" Wide Tooth Every Station	91053	615 lbs.

Wheel Loader to Skid Steer Adapters	Model	FFC Suffix	Weight
Wheel Loader Mounts			
• Zettelmeyer 602/Compact ISO to Skid-Steer	14820	0906	325 lbs.
Haugen Truss Jibs (Telehandler)	Model		Weight
Slip-On Fork			
• 81" (10,000 lb.) - 144" (2,900 lb.) Haugen Adjustable Truss Boom - Fork Mount	MIJ-3000	-	640 lbs.
Haugen Fork Mounted Swivel Hook	Model		Weight
6,000 lb. Haugen Fork Mounted Swivel Hook	MFSH-6	-	137 lbs.
• 10,000 lb. Haugen Fork Mounted Swivel Hook	MFSH-10	-	142 lbs.
• 14,000 lb. Haugen Fork Mounted Swivel Hook	MFSH-14	-	147 lbs.
10,000 lb. Fork Mounted Swivel Hook - Incl. 2" Receiver	MFSH-10TS	-	220 lbs.
Haugen Fork Mounted Trailer Spotter	Model		Weight
• Fork Mounted Trailer Mover - 2,000 Lb. Capacity	MFBA	-	127 lbs.

Replacement Flat Face Couplers

Model Weight

Flat Face Couplers

• .50" Flat Face Male Coupler (10 ORB)	80133	2 lbs.
• .50" Flat Face Female Coupler (10 ORB)	80132	2 lbs.
• .50" Flat Face Male Coupler (12 ORB)	22519	2 lbs.
• .50" Flat Face Female Coupler (12 ORB)	22518	2 lbs.
• .62" Flat Face Male Coupler (12 ORB)	84922	2 lbs.
• .62" Flat Face Female Coupler (12 ORB)	84921	2 lbs.
• .75" Flat Face Male Coupler (12 ORB)	22521	3 lbs.
• .75" Flat Face Female Coupler (12 ORB)	22520	2 lbs.
• .50" Flat Face Male 90° Coupler (8 ORB)	91252	2 lbs.
• .50" Flat Face Female 90° Coupler (8 ORB)	91251	2 lbs.
• .75" Flat Face Male 90° Coupler (6 JIC)	9334PP	2 lbs.
• .75" Flat Face Female 90° Coupler (6 JIC)	9333PP	2 lbs.

Case Drain Couplers (Flat Face)

• .38" Flat Face Male Coupler (8 ORB)	84923	2 lbs.
• .38" Flat Face Female Coupler (8 ORB)	84928	2 lbs.

Hose Saver Spring Kits

Model Weight

Allows adjustment of hose routing to prevent hose pinching between quick attach implement and power unit. Easily installed by welding #10136 on any implement or loader attachment that uses hydraulics.

• .38" ID Hose Saver Spring Kit (0.75 ID Clamp)	103178	5 lbs.
• .50" ID Hose Saver Spring Kit (1.00 ID Clamp)	103454	5 lbs.
• .75" ID Hose Saver Spring Kit (1.25 ID Clamp)	103455	5 lbs.
• Weld On Base	10136	2 lbs.

Bradco Standard Duty Ground Shark Brush Cutter	Model	Weight
--	-------	--------

Replacement Parts

• Standard Duty 60" Replacement Blade Kit - 3 Blades	118330	40 lbs.
• Standard Duty 72" Replacement Blade Kit - 3 Blades	118331	45 lbs.
• Standard Duty 78" Replacement Blade Kit - 3 Blades	118332	50 lbs.
• Old Bradco BC60 (17880) 60" Replacement Blade Kit - 2 Blades	18512	28 lbs.
• Old Bradco BC72 (15330) 72" Replacement Blade Kit - 2 Blades	18513	32 lbs.
• Old Bradco BC78 (114390) 78" Replacement Blade Kit - 2 Blades	106313	36 lbs.

Bradco Extreme Duty Ground Shark Brush Cutter	Model	Weight
---	-------	--------

Standard Flow Model Replacement Parts

Replacement Blade Kit (66" Standard Flow - 3 Double Bevel Blades and Hardware)	123735	65 lbs.
• Replacement Blade Kit (72" Standard Flow - 4 Double Bevel Blades and Hardware)	123736	103 lbs.
• Replacement Carbide Tooth Kit (66" Standard Flow - 24 Bolt-On Teeth)	123781	10 lbs.
• Replacement Carbide Tooth Kit (72" Standard Flow - 48 Bolt-On Teeth)	123733	10 lbs.

High Flow Model Replacement Parts

• Replacement Blade Kit (High Flow - 4 Double Bevel Blades and Hardware)	117194	103 lbs.
• Replacement Carbide Tooth Kit (72" High Flow - 18 Bolt-On Teeth)	117193	36 lbs.
• Replacement Carbide Tooth Kit (78" High Flow - 22 Bolt-On Teeth)	123734	10 lbs.

Bucket Teeth	Model	Weight
--------------	-------	--------

23 Series - H&L Style

• Replacement Tooth	88893	4 lbs.
• Weld On Shank	88895	5 lbs.
• Pin	88894	1 lbs.